

参考資料 (1)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一25号	鋼管・既製コンクリート杭打工 [バイルハンマ工]	鋼管杭 油圧 [°] イルハンマ 10~12.5t 鋼管杭 32mを超える48m以下 8~10mm 鋼管杭 ϕ 800mm以上 ϕ 1200mm未満 有 無	単位	本	数量	10	単価	253,300
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	3.7	28,560	105,672		
とび工			人	7.4	28,458	210,589		
溶接工			人	7.4	31,008	229,459		
鋼管杭		別途計上	本	10	0	0		
クローラ式杭打機運転		油圧 [°] イルハンマ 10~12.5t	日	3.7	411,300	1,521,810	WK230020	単一 53号
バックホウ運転			日	3.7	36,660	135,642	WK230410	単一 54号
諸雑費 (率+まるめ) 15%			式	1		329,828		
計						2,533,000		
単価						253,300	円／本	

参考資料 (1)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一-26号	鋼管杭	SKK400 φ 800mm L=44.0m	単位	本	数量	10	単価	1,930,000
名称		規格	単位	数量	単価	金額	摘要	
鋼管杭		SKK400	t	85.42	198,000	16,913,160		
規格エキストラ		SKK490	t	20.3	14,000	284,200		
地域エキストラ		新潟 陸上 L≤12m	t	85.42	20,400	1,742,568		
肉厚エキストラ		t15mm	t	20.3	5,000	101,500		
工場溶接エキストラ		800mm	箇所	10	26,700	267,000		
計						19,308,428		
単価						1,930,000	円／本	

参考資料（1）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一27号	鋼管杭杭頭処理溶接工	8mm～10mm	単位	m	数量	10	単価	1,484
名称		規格	単位	数量	単価	金額	摘要	
溶接工			人	0.35	31,008	10,852		
電気溶接機運転			日	0.39	6,336	2,471	WK230030	単一 55号
諸雑費（率+まるめ） 14%			式	1		1,517		
計						14,840		
単価						1,484	円／m	

參考資料 (1)

參考資料 (1)

参考資料（1）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一30号	鋼管内掘削工	径800mm	単位	m 3	数量	10	単価	8,632
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.19	28,560	5,426		
普通作業員			人	0.74	23,358	17,284		
ハンマグラブ運転		径800mm	日	0.4	151,100	60,440	WK230290	単一 56号
諸雑費（率+まるめ） 14%			式	1		3,170		
計						86,320		
単価						8,632	円／m 3	

参考資料 (1)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一31号	橋台・橋脚コンクリート打設	各種 特殊養生(練炭) 無 無	単位	m ³	数量	10	単価	23,390
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.06	28,560	1,713		
特殊作業員			人	0.18	28,152	5,067		
普通作業員			人	0.24	23,358	5,605		
生コンクリート		30-12-40BB W/C≤50%	m ³	10.2	19,400	197,880		
コンクリートポンプ車運転ブーム式 9.0 ~ 11.0 m ³		無	日	0.06	94,650	5,679	WK470110	単一 57号
養生工		鉄筋構造物 特殊養生(練炭)	m ³	10	1,747	17,470	WB240050	単一 58号
諸雑費(率+まるめ) 3%			式	1		486		
計						233,900		
単価						23,390	円/m ³	

參考資料 (1)

參考資料 (1)

參考資料 (1)

参考資料（1）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一35号	足場工	手摺先行型枠組足場 必要 標準	単位	掛m 2	数量	100	単価	4,994
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1.6	28,560	45,696		
とび工			人	8.5	28,458	241,893		
普通作業員			人	1.3	23,358	30,365		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	1.4	45,200	63,280		
諸雑費 (率+まるめ) 31%			式	1		118,166		
計						499,400		
単価						4,994	円／掛m 2	

参考資料（1）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一36号	敷鉄板設置・撤去	設置・撤去	単位	m 2	数量	100	単価	404.9
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.295	28,560	8,425		
とび工			人	0.295	28,458	8,395		
普通作業員			人	0.295	23,358	6,890		
バックホウ（クローラ型）運転			日	0.295	55,540	16,384	WK250590	単一 59号
諸雑費（率+まるめ） 1%			式	1		396		
計						40,490		
単価						404.9	円／m 2	

參考資料 (1)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

参考資料 (1)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一38号	鋼矢板压入 (N _{max} ≤ 25)	陸上 III型 12m以下	単位	枚	数量	10	単価	19,320
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.476	28,560	13,594		
特殊作業員			人	0.476	28,152	13,400		
とび工			人	0.952	28,458	27,092		
油圧式杭压入引抜機運転		压入(N _{max} ≤25) III型	日	0.476	192,200	91,487	WK250240	単一 60号
ラフテレーンクレーン運転		25t吊 排出ガス対策型(第3次基準値)	日	0.476	96,150	45,767	WK250560	単一 61号
諸雑費 (率+まるめ) 1%			式	1		1,860		
計						193,200		
単価						19,320	円/枚	

参考資料（1）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一39号	油圧式杭圧入引抜機据付・解体	圧入(N _{max} ≤25) III型 陸上	単位	回	数量	1	単価	109,900
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.29	28,560	8,282		
特殊作業員			人	0.29	28,152	8,164		
とび工			人	0.58	28,458	16,505		
油圧式杭圧入引抜機運転		圧入(N _{max} ≤25) III型	日	0.25	192,200	48,050	WK250240	单一 60号
ラフテレーンクレーン運転		25t吊 排出ガス対策型(第3次基準値)	日	0.3	96,150	28,845	WK250560	单一 61号
諸雑費（まるめ）			式	1		54		
計						109,900		
単価						109,900	円／回	

参考資料 (1)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一40号	鋼矢板引抜き	陸上 III型 12m以下	単位	枚	数量	10	単価	10,300
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.256	28,560	7,311		
特殊作業員			人	0.256	28,152	7,206		
とび工			人	0.513	28,458	14,598		
油圧式杭圧入引抜機運転		引抜き III型	日	0.256	192,200	49,203	WK250240	単一 62号
ラフテレーンクレーン運転		25t吊 排出ガス対策型(第3次基準値)	日	0.256	96,150	24,614	WK250560	単一 61号
諸雑費(率+まるめ) 0.1%			式	1		68		
計						103,000		
単価						10,300	円/枚	

参考資料（1）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一41号	油圧式杭圧入引抜機据付・解体	引抜き III型 陸上	単位	回	数量	1	単価	65,130
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.19	28,560	5,426		
特殊作業員			人	0.19	28,152	5,348		
とび工			人	0.39	28,458	11,098		
油圧式杭圧入引抜機運転		引抜き III型	日	0.13	192,200	24,986	WK250240	
ラフテレーンクレーン運転		25t吊 排出ガス対策型(第3次基準値)	日	0.19	96,150	18,268	WK250560	
諸雑費（まるめ）			式	1		4		
計						65,130		
単価						65,130	円／回	

參考資料 (1)

参考資料（1）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一43号	切梁・腹起し設置・撤去	設置・撤去 無 標準(1.0)	単位	t	数量	10	単価	51,210
名称								
切梁・腹起し設置	無 標準(1.0)		t	10	32,040	320,400	WB251931	单一 63号
切梁・腹起し撤去	無 標準(1.0)		t	10	19,170	191,700	WB251932	单一 64号
諸雑費（まるめ）			式	1		0		
計						512,100		
単価						51,210	円／t	

参考資料 (1)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一44号	山留材賃料	無 67日 無 有 4700円 有 9400円 有 300000円 1回/現場	単位	t	数量	1	単価	32,860
名称		規格	単位	数量	単価	金額	摘要	
H形鋼 (山留主部材)		250~400型 (80~200kg/m)	t	1	8,040	8,040		
H形鋼 (山留主部材) 修理費及び損耗費			t	1	5,123	5,123		
副部材 (A)		賃料期間67日	t	0.22	23,798	5,235		
副部材 (A) 修理費及び損耗費			t	0.22	10,622	2,336		
副部材 (B) 修理費及び損耗費			t	0.04	303,000	12,120		
諸雑費 (まるめ)			式	1		6		
計						32,860		
単価						32,860	円/t	

参考資料 (1)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一45号	山留材賃料	無 67日 無 有 有 有 1回/現場	単位	t	数量	1	単価	55,000
名称		規格	単位	数量	単価	金額	摘要	
H形鋼(山留主部材)		H500 300kg/m	t	1	15,740	15,740	WYB00003	
H形鋼(山留主部材)		整備費 H-500	t	1	7,439	7,439	単一 65号	
副部材(A)		賃料期間67日 H-500	t	0.22	46,605	10,253		
副部材(A)		修理費及び損耗費	t	0.22	15,368	3,380		
副部材(B)		修理費及び損耗費	t	0.04	454,500	18,180		
諸雑費 (まるめ)			式	1		8		
計						55,000		
単価						55,000	円/t	

参考資料 (1)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一-46号	重建設機械分解組立輸送	分解組立+輸送(往復) クローラ式杭打機 機械質量100tを超える150t以下 標準(1.0)	単位	回	数量	1	単価	3,084,000
名称		規格	単位	数量	単価	金額	摘要	
特殊作業員			人	23.5	28,152	661,572		
ラフテレーンクレーン [油圧伸縮ジブ型]		60t 吊	日	5.6	91,200	510,720		
運搬費等率 163%			式	1		1,910,835		
諸雑費 (まるめ)			式	1		873		
計						3,084,000		
単価						3,084,000	円/回	

参考資料（1）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一47号	重建設機械分解組立輸送	分解組立+輸送(往復) クローラクレーン系 35t吊超80t吊以下(クレム平積0.6m3超2m3下) 標準(1.0)	単位	回	数量	1	単価	1,189,000
名称		規格	単位	数量	単価	金額	摘要	
特殊作業員			人	5.5	28,152	154,836		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t吊	日	1.5	45,200	67,800		
運搬費等率 434%			式	1		966,240		
諸雑費 (まるめ)			式	1		124		
計						1,189,000		
単価						1,189,000	円/回	

参考資料 (1)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一48号	仮設材等(鋼矢板、H形鋼、覆工板、敷鉄板等)の運	北海道・東北・北陸・中国・四国・九州 19.2km 12m以内 各種(実数入力) 0無 無	単位	t	数量	1	単価	3,570
名称		規格	単位	数量	単価	金額	摘要	
基本運賃区分B		製品長12m以内 20kmまで	t	1	3,570	3,570		
諸雑費(まるめ)			式	1		0		
計						3,570		
単価						3,570	円／t	

単一49号	仮設材等(鋼矢板、H形鋼、覆工板、敷鉄板等)の運	北海道・東北・北陸・中国・四国・九州 19.2km 12m以内 冬期割増 無	単位	t	数量	1	単価	4,284
名称		規格	単位	数量	単価	金額	摘要	
基本運賃区分B		製品長12m以内 20kmまで	t	1	4,284	4,284		
諸雑費(まるめ)			式	1		0		
計						4,284		
単価						4,284	円／t	

参考資料（1）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一50号	仮設材等(鋼矢板、H形鋼、覆工板、敷鉄板等)の運	北海道・東北・北陸・中国・四国・九州 327km 12m以内 冬期割増 無	単位	t	数量	1	単価	14,030
名称		規格	単位	数量	単価	金額	摘要	
基本運賃区分B		製品長12m以内 200kmまで	t	1	10,272	10,272		
基本運賃区分B		製品長12m以内 20km毎加算額	t	1	3,754.8	3,754		
諸雑費（まるめ）			式	1		4		
計						14,030		
単価						14,030	円／t	

參考資料 (1)

參考資料 (1)

単価使用年月	2025. 08
歩掛使用年月	2025. 08
労務調整係数	1.000-00-00-2-0

単一52号	仮設材等の積込み、取卸し費	積込み、取卸し(片道分)	単位	t	数量	1	単価					
							1,500	摘要				
名称		規格		単位	数量	単価	金額					
積込み、取卸し費 (仮設材等)				t	1	1,500	1,500					
諸雑費 (まるめ)				式	1		0					
計							1,500					
単価							1,500	円／t				

参考資料（2）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一53号	クローラ式杭打機運転	油圧ハシマ 10~12.5t	単位	日	数量	1	単価	411,300
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	27,336	27,336		
軽油			L	177	139	24,603		
クローラ式杭打機〔油圧ハンマ・直結三点支持〕		ラム質量 10~12.5t 21~33m	供用日	1.77	203,000	359,310		
諸雑費（まるめ）			式	1		51		
計						411,300		
単価						411,300	円／日	

参考資料 (2)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一54号	バックホウ運転	単位	日	数量	1	単価	36,660
	名称	規格	単位	数量	単価	金額	摘要
運転手 (特殊)		人	1	27,336	27,336		
軽油		L	3.5	139	486		
バックホウ (クローラ) [標準]	山積0. 28m3 (平積0. 2m3)	日	1.6	5,520	8,832		
諸雑費 (まるめ)		式	1		6		
計					36,660		
単価					36,660	円／日	

参考資料（2）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一55号	電気溶接機運転		単位	日	数量	1	単価	6,336		
名称		規格	単位	数量	単価	金額	摘要			
軽油			L	24	139	3,336				
電気溶接機〔ディーゼルエンジン駆動・直流アーク〕		排出ガス対策型（第3次） 最大溶接電流300A	日	1	3,000	3,000				
諸雑費（まるめ）			式	1		0				
計						6,336				
単価						6,336	円／日			

参考資料（2）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一56号	ハンマグラブ運転	径800mm	単位	日	数量	1	単価	151,100
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	27,336	27,336		
軽油			L	61	139	8,479		
全回転型オールケーシング掘削機〔掘削機械器具〕		ハンマグラブ 径800mm	供用日	1.5	11,900	17,850		
クローラクレーン〔油圧駆動ワインチ・ラチスジブ〕		排出ガス対策型（第3次基準値）50～55t吊	供用日	1.5	64,900	97,350		
諸雑費（まるめ）			式	1		85		
計						151,100		
単価						151,100	円／日	

参考資料（2）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一57号	コンクリートポンプ車運転ブーム式 90～110m3	無	単位	日	数量	1	単価	94,650
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	27,336	27,336		
軽油			L	66	139	9,174		
コンクリートポンプ車〔トラック架装・ブーム式〕		圧送能力 90～110m ³ /h	供用日	1.04	55,900	58,136		
諸雑費（まるめ）			式	1		4		
計						94,650		
単価						94,650	円/日	

参考資料 (2)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一58号	養生工	鉄筋構造物 特殊養生(練炭)	単位	m 3	数量	10	単価	1,747		
名称		規格	単位	数量	単価	金額	摘要			
土木一般世話役			人	0.15	28,560	4,284				
普通作業員			人	0.44	23,358	10,277				
諸雑費 (率+まるめ) 20%			式	1		2,909				
計						17,470				
単価						1,747	円／m 3			

参考資料（2）

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一59号	バックホウ（クローラ型）運転	単位	日	数量	1	単価	55,540
	名称	規格	単位	数量	単価	金額	摘要
運転手（特殊）		人	1	27,336	27,336		
軽油		L	119	139	16,541		
バックホウ（クローラ）【標準・クレーン機能付き】	山積0.8m ³ （平積0.6m ³ ） 2.9t吊	日	1.06	11,000	11,660		
諸雑費（まるめ）		式	1		3		
計					55,540		
単価					55,540	円／日	

參考資料 (2)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

参考資料 (2)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一61号	ラフテレーンクレーン運転	25t吊 排出ガス対策型(第3次基準値)	単位	日	数量	1	単価	96,150
名称		規格	単位	数量	単価	金額	摘要	
運転手 (特殊)			人	1	27,336	27,336		
軽油			L	92	139	12,788		
ラフテレーンクレーン [油圧伸縮ジブ型]		排出ガス対策型 (第3次基準値) 25t吊	供用日	1.49	37,600	56,024		
諸雑費 (まるめ)			式	1		2		
計						96,150		
単価						96,150	円/日	

參考資料 (2)

単価使用年月	2025. 08
歩掛使用年月	2025. 08
労務調整係数	1. 000-00-00-2-0

参考資料 (2)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一63号	切梁・腹起し設置	無 標準(1.0)	単位	t	数量	10	単価	32,040
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1.7	28,560	48,552		
とび工			人	3.2	28,458	91,065		
溶接工			人	1.7	31,008	52,713		
普通作業員			人	1.7	23,358	39,708		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	1.7	45,200	76,840		
諸雑費 (率+まるめ) 5%			式	1		11,522		
計						320,400		
単価						32,040	円／t	

参考資料 (2)

単価使用年月	2025.08
歩掛使用年月	2025.08
労務調整係数	1.000-00-00-2-0

単一64号	切梁・腹起し撤去	無 標準(1.0)	単位	t	数量	10	単価	19,170
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1	28,560	28,560		
とび工			人	1.9	28,458	54,070		
溶接工			人	1	31,008	31,008		
普通作業員			人	1	23,358	23,358		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	1	45,200	45,200		
諸雑費 (率+まるめ) 7%			式	1		9,504		
計						191,700		
単価						19,170	円／t	

參考資料 (2)

参考資料 (2)							単価使用年月 2025.08	歩掛使用年月 2025.08	労務調整係数 1.000-00-00-2-0	
単一65号	H形鋼(山留主部材)	H500 300kg/m	単位	t	数量	1	単価	15,740		
名称		規格	単位	数量	単価	金額	摘要			
鋼製山留材		H500 90日以内	t・日	67	235	15,745				
計						15,745				
単価						15,740	円/t			