

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一99号	安定処理工（自走式土質改良工）	砂及び砂質土 30kg/m ³	単位	m ³	数量	100	単価	2,209
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.316	31,928	10,089		
特殊作業員			人	0.316	29,328	9,267		
石灰系固化材		高含水粘性土・有機質土用 フレコン	t	3.12	25,900	80,808		
自走式土質改良機運転			日	0.316	293,300	92,682	WK210320	単一 132号
バックホウ（クローラ型）運転			日	0.316	59,880	18,922	WK210330	単一 133号
諸雑費（率+まるめ） 7%			式	1		9,132		
計						220,900		
単価						2,209	円/m ³	

参考資料 (1)

単価使用年月	2024. 06
歩掛使用年月	2024. 06
労務調整係数	1. 000-00-00-2-0

単一100号	自走式土質改良機設置・撤去工	設置・撤去	単位	台・回	数量	1	単価	252, 200
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.66	31, 928	21, 072		
特殊作業員			人	0.66	29, 328	19, 356		
運転手 (特殊)			人	0.66	27, 560	18, 189		
自走式土質改良機運転			日	0.66	293, 300	193, 578	WK210320	単一 132号
諸雑費 (まるめ)			式	1		5		
計						252, 200		
単価						252, 200	円／台・回	

参考資料 (1)

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一-101号	かごマット工 (多段積型)	B型 亜鉛アルミメッキ鉄線 1:0.5以下 2段 0段 割栗石 15~20cm 標準 (90m3) 240m2/100m2	単位	m 2	数量	100	単価	30,110
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	2.2	31,928	70,241		
特殊作業員			人	3.2	29,328	93,849		
普通作業員			人	6.6	24,960	164,736		
かごマット多段積型		B-a型 亜鉛アルミメッキ鉄線 1:0.5	m	100	9,130	913,000		
かごマット多段積型		B-b型 亜鉛アルミメッキ鉄線 1:0.5	m	100	7,330	733,000		
割栗石		150~200mm	m 3	99	4,500	445,500		
吸出し防止材		河川護岸用吸出し防止シート 10mm以上	m 2	278.4	740	206,016		
バックホウ (クローラ型) 運転			日	7.7	49,100	378,070	WK320190	単一-134号
諸雑費 (率+まるめ) 1%			式	1		6,588		
計						3,011,000		
単価						30,110	円/m 2	

参考資料 (1)

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一-102号	人力施工による植生工	張芝工 500m2以上(標準) 無	単位	m 2	数量	1	単価	1,754
名称		規格	単位	数量	単価	金額	摘要	
法面工 (張芝工)		野芝・高麗芝 (全面張)	m 2	1	1,754.4	1,754		
諸雑費 (まるめ)			式	1		0		
計						1,754		
単価						1,754	円／m 2	

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一103号	野芝種子吹付		単位	m ²	数量	1,000	単価	230.2
名称								
土木一般世話役		規格	単位	数量	単価	金額	摘要	
法面工			人	0.7	31,928	22,349		
普通作業員			人	1.5	35,568	53,352		
速効性肥料	高度化成 15-15-15		人	1.5	24,960	37,440		
			k g	60	189.7	11,382		
被覆肥料	360日タイプ		k g	60	503	30,180		
養生材	ファイバー		k g	120	200	24,000		
種子吹付機〔車載式（種子専用）〕	2.5m ³ 搭載トラック3t車		時間	5	2,302	11,510	単一 135号	
トラック〔普通型〕	4~4.5t積		時間	5	7,783	38,915	単一 136号	
諸雑費（率+まるめ） 1%			式	1		1,072		
計						230,200		
単価						230.2	円/m ²	

參考資料 (1)

単価使用年月	2024. 06
歩掛使用年月	2024. 06
労務調整係数	1.000-00-00-2-0

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一105号	蓋版	据付け 無し 蓋版(各種) 40を超える170kg/枚以下 無し 無し	単位	枚	数量	100	単価	86,450		
名称		規格	単位	数量	単価	金額	摘要			
蓋版コンクリート・鋼製		170kg以下 昼 無	枚	100	944.32	94,432				
柵蓋		S-B900-L900-t12	枚	100	85,500	8,550,000				
諸雑費（まるめ）			式	1		568				
計						8,645,000				
単価						86,450	円/枚			

參考資料 (1)

参考資料 (1)							単価使用年月 2024. 06	歩掛使用年月 2024. 06	労務調整係数 1. 000-00-00-2-0
単一106号	構造物とりこわし	無筋構造物 機械施工 無し 無し 不要	単位	m 3	数量	1	単価	8,888	
名称		規格	単位	数量	単価	金額	摘要		
無筋構造物	昼間 機械施工 制約無		m 3	1	8,888.9	8,888			
諸雑費 (まるめ)			式	1		0			
計						8,888			
単価						8,888	円／m 3		

						単価使用年月	2024.06
						歩掛使用年月	2024.06
						労務調整係数	1.000-00-00-2-0
単一107号	構造物とりこわし	無筋構造物 機械施工 無し 無し 必要	単位	m 3	数量	1	単価 11,560
名称		規格	単位	数量	単価	金額	摘要
無筋構造物		昼間 機械施工 制約無					
諸雑費（まるめ）			m 3	1	11,555.57	11,555	
計			式	1		5	
						11,560	
単価						11,560	円／m 3

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一-108号	処分費（t）		単位	t	数量	100	単価	1,000
名称		規格	単位		数量	単価	金額	摘要
処分費		コンクリート殻(無筋) ※㈱中部資源再開発 小松工場	t		100	1,000	100,000	
計							100,000	
単価							1,000	円／t

単一-109号	処分費（t）		単位	t	数量	100	単価	1,500
名称		規格	単位		数量	単価	金額	摘要
処分費		アスファルト殻 ※太陽工業㈱	t		100	1,500	150,000	
計							150,000	
単価							1,500	円／t

参考資料 (1)

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一110号	全回転式オールケーシング工	1,000mm 14.14m 5.86m 0m 0m 18m 生コンクリート各種	単位	本	数量	1	単価	1,319,000
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1.36	31,928	43,422		
とび工			人	1.36	32,032	43,563		
特殊作業員			人	1.36	29,328	39,886		
普通作業員			人	1.36	24,960	33,945		
全回転型オールケーシング掘削機運転		1,000mm 14.14m 5.86m	日	1.36	283,800	385,968	WK230580	単一 137号
クローラクレーン運転		1,000mm 14.14m 5.86m	日	1.36	150,400	204,544	WK230070	単一 138号
バックホウ運転			日	1.36	36,060	49,041	WK230570	単一 139号
生コンクリート		30-18-25BB W/C \leq 55%(C \geq 350kg/m ³)	m ³	15.409	18,600	286,607		
諸雑費 (率+まるめ) 29%			式	1		232,024		
計						1,319,000		
単価						1,319,000	円/本	

參考資料 (1)

単価使用年月	2024. 06
歩掛使用年月	2024. 06
労務調整係数	1. 000-00-00-2-0

參考資料 (1)

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一113号	杭頭処理	1,000mm	単位	本	数量	1	単価	22,620
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.09	31,928	2,873		
特殊作業員			人	0.31	29,328	9,091		
ラフテレーンクレーン [油圧伸縮ジブ型]		50t吊	日	0.09	78,300	7,047		
諸雑費 (率+まるめ) 19%			式	1		3,609		
計						22,620		
単価						22,620	円／本	

参考資料 (1)

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一114号	補強リンク	((SS400) FB-9×75) L=2039mm	単位	本	数量	1	単価	1,610		
名称		規格	単位	数量	単価	金額	摘要			
平鋼		((SS400) FB-9×75)	k g	10.81	149	1,610	WYB00008 単一 140号			
計						1,610				
単価						1,610	円／本			

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一115号	スパナ固定金具	D22用(Uボルト, 平鋼4.5×32mm), ナット2個含, 穴あけ加工含	単位	組	数量	1	単価	462		
名称		規格	単位	数量	単価	金額	摘要			
補強リンク固定用Uボルト		D22用, ナット2個含む	個	1	250	250				
平鋼		4.5×32mm (L=80mm)	枚	1	12	12	WYB00010 単一 141号			
補強リンク加工費		穴あけ加工, 平鋼	箇所	2	100	200				
計						462				
単価						462	円/組			

参考資料 (1)

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一116号	橋台・橋脚コンクリート打設	各種 一般養生 無 無	単位	m ³	数量	10	単価	20,780
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.06	31,928	1,915		
特殊作業員			人	0.18	29,328	5,279		
普通作業員			人	0.24	24,960	5,990		
生コンクリート		30-12-40BB W/C≤50%	m ³	10.2	17,900	182,580		
コンクリートポンプ車運転ブーム式 9.0 ~ 11.0 m ³		無	日	0.06	95,010	5,700	WK470110	単一 142号
養生工		鉄筋構造物 一般養生	m ³	10	585.6	5,856	WB240050	単一 143号
諸雑費 (率+まるめ) 3%			式	1		480		
計						207,800		
単価						20,780	円/m ³	

參考資料 (1)

単価使用年月	2024. 06
歩掛使用年月	2024. 06
労務調整係数	1. 000-00-00-2-0

參考資料 (1)

參考資料 (1)

単価使用年月	2024. 06
歩掛使用年月	2024. 06
労務調整係数	1.000-00-00-2-0

単-119号	円形型枠(材料費)	φ 150	単位	m	数量	4	単価	492.5
名称		規格	単位	数量	単価	金額	摘要	
円形型枠		φ 150 L=4.0m/本	本	1	1,970	1,970		
計						1,970		
単価					492.5	円／m		

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一120号	パイプサポート支保・くさび結合支保	ハ ^イ カ ^ス ー ^ト 支保 V≤40空m ³ f≤40kN/m ² [t≤120cm]	単位	空m ³	数量	100	単価	5,371
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	2.9	31,928	92,591		
型わく工			人	5.3	30,264	160,399		
とび工			人	2.5	32,032	80,080		
普通作業員			人	5.7	24,960	142,272		
諸雑費（率+まるめ） 13%			式	1		61,758		
計						537,100		
単価						5,371	円／空m ³	

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一-121号	足場工	手摺先行型枠組足場 必要 標準	単位	掛m 2	数量	100	単価	5,469
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1.6	31,928	51,084		
とび工			人	8.5	32,032	272,272		
普通作業員			人	1.3	24,960	32,448		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	1.4	44,100	61,740		
諸雑費 (率+まるめ) 31%			式	1		129,356		
計						546,900		
単価						5,469	円／掛m 2	

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一122号	重建設機械分解組立輸送	分解組立+輸送(往復) オールケーシング掘削機 スキット式(クローラクレーン排ガス3次70t)	単位	回	数量	1	単価	2,551,000
名称		規格	単位	数量	単価	金額	摘要	
特殊作業員			人	4.9	29,328	143,707		
クローラクレーン〔油圧駆動ワインチ・ラチスジブ〕		排出ガス対策型(第3次基準値) 70t吊	時間	11.9	24,250	288,575	単一 144号	
運搬費等率 490%			式	1		2,118,181		
諸雑費(まるめ)			式	1		537		
計						2,551,000		
単価						2,551,000	円/回	

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一123号	重建設機械分解組立輸送	分解組立+輸送(往復) クローラクレーン系 35t吊超80t吊以下(クレム平積0.6m3超2m3下) 標準(1.0)	単位	回	数量	1	単価	1,215,000
名称		規格	単位	数量	単価	金額	摘要	
特殊作業員			人	5.5	29,328	161,304		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t吊	日	1.5	44,100	66,150		
運搬費等率 434%			式	1		987,150		
諸雑費 (まるめ)			式	1		396		
計						1,215,000		
単価						1,215,000	円/回	

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一124号	河川工事台帳作成費	技術員：1人/式	単位	式	数量	1	単価	33,600
名称		規格	単位	数量	単価	金額	摘要	
技術員			人	1	33,600	33,600		
計						33,600		
単価						33,600	円／式	

単一125号	掘削（I C T）保守点検	土砂 オープンカット 無し 5,000m ³ 以上10,000m ³ 未満 4820m ³	単位	式	数量	1	単価	26,532
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.831	31,928	26,532		
計						26,532		
単価						26,532	円／式	

参考資料 (1)

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一-126号	路体（築堤）盛土（I C T）保守点検	20,000m3未満 無し 4200m3	単位	式	数量	1	単価	17,081
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.535	31,928	17,081		
計						17,081		
単価						17,081	円／式	

単一-127号	法面整形（I C T）保守点検	切土部 レイ質土、砂及び砂質土、粘性土 820m2	単位	式	数量	1	単価	8,492
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.266	31,928	8,492		
計						8,492		
単価						8,492	円／式	

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一-128号	法面整形（I C T）保守点検	盛土部 無し レ ^イ 質土、砂及び砂質土、粘性土 2830m ²	単位	式	数量	1	単価	18,677
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.585	31,928	18,677		
計						18,677		
単価						18,677	円／式	

単一-129号	法面整形（I C T）保守点検	盛土部 有り レ ^イ 質土、砂及び砂質土、粘性土 2310m ²	単位	式	数量	1	単価	23,946
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.75	31,928	23,946		
計						23,946		
単価						23,946	円／式	

参考資料（1）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一130号	システム初期費（I C T）	バックホウ	単位	式	数量	1	単価	598,000
名称								
システム初期費		バックホウ	単位	式	数量	単価	金額	摘要
				式	1		598,000	
計							598,000	
単価							598,000	円／式

単一131号	システム初期費（I C T）	ブルドーザ	単位	式	数量	1	単価	548,000
名称								
システム初期費		ブルドーザ	単位	式	数量	単価	金額	摘要
				式	1		548,000	
計							548,000	
単価							548,000	円／式

参考資料 (2)

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一132号	自走式土質改良機運転		単位	日	数量	1	単価	293,300		
名称		規格	単位	数量	単価	金額	摘要			
軽油			L	122	141	17,202				
自走式土質改良機〔解碎・固化材混合式〕		機械質量20t級	供用日	1.84	150,000	276,000				
諸雑費（まるめ）			式	1		98				
計						293,300				
単価						293,300	円／日			

参考資料（2）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一133号	バックホウ（クローラ型）運転	単位	日	数量	1	単価	59,880
	名称	規格	単位	数量	単価	金額	摘要
運転手（特殊）		人	1	27,560	27,560		
軽油		L	99	141	13,959		
バックホウ（クローラ）【標準】	山積0.8m ³ （平積0.6m ³ ）	日	1.8	10,200	18,360		
諸雑費（まるめ）		式	1		1		
計					59,880		
単価					59,880	円／日	

参考資料 (2)

単価使用年月	2024. 06
歩掛使用年月	2024. 06
労務調整係数	1. 000-00-00-2-0

単一134号	バックホウ (クローラ型) 運転	単位	日	数量	1	単価	49, 100
	名称	規格	単位	数量	単価	金額	摘要
運転手 (特殊)		人	1	27, 560	27, 560		
軽油		L	63	141	8, 883		
バックホウ (クローラ) [標準]	山積0. 8 m ³ (平積0. 6 m ³)	日	1. 24	10, 200	12, 648		
諸雑費 (まるめ)		式	1		9		
計					49, 100		
単価					49, 100	円／日	

參考資料 (2)

単価使用年月	2024. 06
歩掛使用年月	2024. 06
労務調整係数	1. 000-00-00-2-0

参考資料（2）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一136号	トラック〔普通型〕	4～4.5t積	単位	時間	数量	1	単価	7,783
	名称	規格	単位	数量	単価	金額	摘要	
運転手（一般）			人	0.21	25,376	5,328		
軽油			L	5.5	141	775		
トラック〔普通型〕	4～4.5t積		時間	1	1,680	1,680		
諸雑費（まるめ）			式	1		0		
計						7,783		
単価						7,783	円／時間	

参考資料（2）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一137号	全回転型オールケーシング掘削機運転	1,000mm 14.14m 5.86m	単位	日	数量	1	単価	283,800
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	27,560	27,560		
軽油			L	88	141	12,408		
全回転型オールケーシング掘削機【ケーシングD】		スキッド式・ディーゼル油圧駆動 径φ1500mm	供用日	1.46	167,000	243,820		
諸雑費（まるめ）			式	1		12		
計						283,800		
単価						283,800	円／日	

参考資料（2）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一138号	クローラクレーン運転	1,000mm 14.14m 5.86m	単位	日	数量	1	単価	150,400
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	27,560	27,560		
軽油			L	106	141	14,946		
クローラクレーン〔油圧駆動ウインチ・ラチスジブ〕		排出ガス対策型（第3次基準値）70t吊	供用日	1.39	77,600	107,864		
諸雑費（まるめ）			式	1		30		
計						150,400		
単価						150,400	円／日	

参考資料 (2)

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一139号	バックホウ運転		単位	日	数量	1	単価	36,060
名称		規格	単位	数量	単価	金額	摘要	
運転手 (特殊)			人	0.8	27,560	22,048		
軽油			L	28	141	3,948		
バックホウ (クローラ) [標準]		山積0. 45m3 (平積0. 35m3)	日	1.6	6,290	10,064		
諸雑費 (まるめ)			式	1		0		
計						36,060		
単価						36,060	円／日	

参考資料 (2)

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一140号	平鋼	(SS400)FB-9×75	単位	k g	数量	1,000	単価	149
名称		規格	単位	数量	単価	金額	摘要	
平鋼		S S 4 0 0 9 × 5 0 ~ 7 5	t	1	149,000	149,000		
計						149,000		
単価						149	円／k g	

単一141号	平鋼	4.5×32mm(L=80mm)	単位	枚	数量	1	単価	12
名称		規格	単位	数量	単価	金額	摘要	
平鋼		4.5×32	m	0.08	155	12	WYB00011 単一 145号	
計						12		
単価						12	円／枚	

参考資料（2）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一142号	コンクリートポンプ車運転ブーム式 90～110m3	無	単位	日	数量	1	単価	95,010
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	27,560	27,560		
軽油			L	66	141	9,306		
コンクリートポンプ車〔トラック架装・ブーム式〕		圧送能力 90～110m3/h	供用日	1.04	55,900	58,136		
諸雑費（まるめ）			式	1		8		
計						95,010		
単価						95,010	円/日	

参考資料 (2)

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一143号	養生工	鉄筋構造物 一般養生	単位	m 3	数量	10	単価	585.6		
名称		規格	単位	数量	単価	金額	摘要			
土木一般世話役			人	0.05	31,928	1,596				
普通作業員			人	0.13	24,960	3,244				
諸雑費 (率+まるめ) 21%			式	1		1,016				
計						5,856				
単価						585.6	円／m 3			

参考資料（2）

単価使用年月	2024.06
歩掛使用年月	2024.06
労務調整係数	1.000-00-00-2-0

単一144号	クローラクレーン〔油圧駆動ワインチ・ラチスジブ〕	排出ガス対策型（第3次基準値）70t吊	単位	時間	数量	1	単価	24,250
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	0.17	27,560	4,685		
軽油			L	16	141	2,256		
クローラクレーン〔油圧駆動ワインチ・ラチスジブ〕		排出ガス対策型（第3次基準値）70t吊	時間	1	17,300	17,300		
諸雑費（まるめ）			式	1		9		
計						24,250		
単価						24,250	円／時間	

參考資料 (3)

単価使用年月	2024. 06
歩掛使用年月	2024. 06
労務調整係数	1.000-00-00-2-0