

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-28号	コンクリート削孔工	削孔径 φ 23 L=140mm D13削孔深140mmアンカ-定着工含む	単位	箇所	数量	1	単価	2,951
名称								
コンクリート削孔		削孔径 φ 23 L=140mm	単位	数量	単価	金額	摘要	
			箇所	1	760.6	760	WYB00017	
アンカ-定着工		D13 削孔深140mm	箇所	1	2,191	2,191	WYB00018	单一 91号
諸雑費 (まるめ)			式	1		0		
計						2,951		
単価						2,951	円／箇所	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-29号	コンクリート削孔	削孔径 φ 61 L=1030mm D51削孔深1030mmアンカ-定着工含	単位	箇所	数量	1	単価	20,800
名称								
コンクリート削孔		削孔径 φ 61 L=1030mm	単位	数量	単価	金額	摘要	
			箇所	1	13,880	13,880	WYB00043	
アンカ-定着工		D51 削孔深1030mm	箇所	1	6,920	6,920	WYB00044	单一 93号
諸雑費（まるめ）			式	1		0		
計						20,800		
単価						20,800	円／箇所	

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一30号	鉄筋工 [市場単価]	SD345 D13 一般構造物 10t以上(標準) 無 無 無 無 太径鉄筋の割合40%以上 切梁のある構造物	単位	t	数量	1	単価	173,800
名称		規格	単位	数量	単価	金額	摘要	
鉄筋コンクリート用棒鋼		S D 3 4 5 D 1 3	t	1.03	122,000	125,660		
鉄筋工		加工・組立共 一般構造物	t	1	48,048	48,048		
諸雑費 (まるめ)			式	1		92		
計						173,800		
単価						173,800	円／t	

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

參考資料 (1)

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一34号	鉄筋工 [市場単価]	SD345 D51 一般構造物 10t以上(標準) 無 無 無 無 太径鉄筋の割合40%以上 切梁のある構造物	単位	t	数量	1	単価	192,300
名称		規格	単位	数量	単価	金額	摘要	
鉄筋コンクリート用棒鋼		S D 3 4 5 D 5 1	t	1.03	140,000	144,200		
鉄筋工		加工・組立共 一般構造物	t	1	48,048	48,048		
諸雑費 (まるめ)			式	1		52		
計						192,300		
単価						192,300	円／t	

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

単-35号	ガス圧接工 (手動・自動) [市場単価]	D51+D51 100箇所以上(標準) 無 無	単位	箇所	数量	1	単価	4,995		
名称		規格	単位	数量	単価	金額	摘要			
ガス圧接工		手動 (半自動)・自動 D51+D51	箇所	1	4,995.5	4,995				
諸雑費 (まるめ)			式	1		0				
計						4,995				
単価						4,995	円／箇所			

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一36号	杭橋脚打込み工（杭基礎形式）	H350 無 8m以下 クローラー油圧駆動式ウインチ・チッピング型 70t吊	単位	本	数量	10	単価	22,470
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.625	27,976	17,485		
とび工			人	1.25	28,288	35,360		
普通作業員			人	0.625	22,776	14,235		
バイブルハンマ杭打機運転		電動式バイブルハンマ 60kW(普通型) クローラー油圧駆動式ウインチ・チッピング型 70t吊	日	0.625	192,400	120,250	WK250490	単一 95号
諸雑費（率+まるめ） 20%			式	1		37,370		
計						224,700		
単価						22,470	円／本	

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一37号	杭橋脚打込み工（杭基礎形式）	H350 無 10m以下 クローラー油圧駆動式ウインチ・チッピング型 70t吊	単位	本	数量	10	単価	27,650
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.769	27,976	21,513		
とび工			人	1.538	28,288	43,506		
普通作業員			人	0.769	22,776	17,514		
バイブルハンマ杭打機運転		電動式バイブルハンマ 60kW(普通型) クローラー油圧駆動式ウインチ・チッピング型 70t吊	日	0.769	192,400	147,955	WK250490	単一 95号
諸雑費（率+まるめ） 20%			式	1		46,012		
計						276,500		
単価						27,650	円／本	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一38号	杭橋脚打込み工（杭基礎形式）	H350 無 13m以下 クローラー油圧駆動式ウインチ・チッピング型 70t吊	単位	本	数量	10	単価	35,960
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1	27,976	27,976		
とび工			人	2	28,288	56,576		
普通作業員			人	1	22,776	22,776		
バイブルハンマ杭打機運転		電動式バイブルハンマ 60kW(普通型) クローラー油圧駆動式ウインチ・チッピング型 70t吊	日	1	192,400	192,400	WK250490	単一 95号
諸雑費（率+まるめ） 20%			式	1		59,872		
計						359,600		
単価						35,960	円／本	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一39号	橋脚設置・撤去工（直接基礎形式）	設置 クローラクレーン油圧駆動式ウインチ・ラチスジップ型 70t吊	単位	t	数量	10	単価	58,490
名称		規格	単位	数量	単価	金額	摘要	
橋りょう世話役			人	1.7	43,056	73,195		
橋りょう特殊工			人	4.2	37,232	156,374		
溶接工			人	1.1	30,888	33,976		
普通作業員			人	2.6	22,776	59,217		
クローラクレーン運転		クローラクレーン油圧駆動式ウインチ・ラチスジップ型 70t吊	日	1.5	161,900	242,850	WYB00007	単一 96号
諸雑費（率+まるめ） 6%			式	1		19,288		
計						584,900		
単価						58,490	円／t	

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一40号	杭橋脚設置・撤去工 (杭基礎形式)	設置 クローラクレーン油圧駆動式ウインチ・チヌンプ型 70t吊	単位 t	数量 10	単価 67,980
	名称	規格	単位	数量	単価
橋りょう世話役			人	2.1	43,056 90,417
橋りょう特殊工			人	4.9	37,232 182,436
溶接工			人	1.8	30,888 55,598
普通作業員			人	1.3	22,776 29,608
クローラクレーン運転	クローラクレーン油圧駆動式ウインチ・チヌンプ型 70t吊		日	1.7	161,900 275,230
諸雑費 (率+まるめ) 13%			式	1	46,511
計					679,800
単価					67,980 円／t

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一41号	橋脚設置・撤去工 (直接基礎形式)	撤去 クローラクレーン油圧駆動式ウインチ・ラチスジップ型 70t吊	単位	t	数量	10	単価	33,730
名称		規格	単位	数量	単価	金額	摘要	
橋りょう世話役			人	1. 1	43,056	47,361		
橋りょう特殊工			人	3	37,232	111,696		
溶接工			人	1	30,888	30,888		
普通作業員			人	1. 4	22,776	31,886		
クローラクレーン運転		クローラクレーン油圧駆動式ウインチ・ラチスジップ型 70t吊	日	0. 7	161,900	113,330	WYB00011	単一 98号
諸雑費 (率+まるめ) 1%			式	1		2,139		
計						337,300		
単価						33,730	円／t	

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一42号	杭橋脚設置・撤去工 (杭基礎形式)	撤去 クローラクレーン油圧駆動式ウインチ・チヌンプ型 70t吊	単位 t	数量 10	単価 27,240	摘要
	名称	規格	単位	数量	単価	金額
橋りょう世話役			人	0.74	43,056	31,861
橋りょう特殊工			人	1.9	37,232	70,740
溶接工			人	0.52	30,888	16,061
普通作業員			人	0.27	22,776	6,149
クローラクレーン運転	クローラクレーン油圧駆動式ウインチ・チヌンプ型 70t吊		日	0.85	161,900	137,615
諸雑費 (率+まるめ) 8%			式	1	9,974	単一 97号
計					272,400	
単価					27,240	円／t

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一43号	杭橋脚引抜き工	8m以下 クローラー油圧駆動式ウインチ・チヌジブ型 70t吊	単位	本	数量	10	単価	10,570
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.294	27,976	8,224		
とび工			人	0.588	28,288	16,633		
普通作業員			人	0.294	22,776	6,696		
バイブルハンマ杭打機運転		電動式バイブルハンマ 60kW(普通型) クローラー油圧駆動式ウインチ・チヌジブ型 70t吊	日	0.294	192,400	56,565	WK250490	単一 95号
諸雑費(率+まるめ) 20%			式	1		17,582		
計						105,700		
単価						10,570	円／本	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一44号	杭橋脚引抜き工	10m以下 クローラー油圧駆動式ウインチ・チッピング型 70t吊	単位	本	数量	10	単価	11,980
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.333	27,976	9,316		
とび工			人	0.667	28,288	18,868		
普通作業員			人	0.333	22,776	7,584		
バイブルハンマ杭打機運転		電動式バイブルハンマ 60kW(普通型) クローラー油圧駆動式ウインチ・チッピング型 70t吊	日	0.333	192,400	64,069	WK250490	単一 95号
諸雑費(率+まるめ) 20%			式	1		19,963		
計						119,800		
単価						11,980	円／本	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一45号	杭橋脚引抜き工	13m以下 クローラー油圧駆動式ウインチ・チッピング型 70t吊	単位	本	数量	10	単価	13,840
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.385	27,976	10,770		
とび工			人	0.769	28,288	21,753		
普通作業員			人	0.385	22,776	8,768		
バイブルハンマ杭打機運転		電動式バイブルハンマ 60kW(普通型) クローラー油圧駆動式ウインチ・チッピング型 70t吊	日	0.385	192,400	74,074	WK250490	単一 95号
諸雑費(率+まるめ) 20%			式	1		23,035		
計						138,400		
単価						13,840	円／本	

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一48号	支持杭	H-350×350×12×19 スクリップ 長末満 中古品	単位	t	数量	1	単価	117,000
名称		規格	単位	数量	単価	金額	摘要	
H形鋼		H-350×350×12×19	t	0.9	130,000	117,000		
諸雑費（まるめ）			式	1		0		
計						117,000		
単価						117,000	円／t	

単一49号	水平つなぎ	[‐200×80×7.5×11 中古品	単位	t	数量	1	単価	112,500
名称		規格	単位	数量	単価	金額	摘要	
溝形鋼		大形 SS 400 7.5×200×80	t	0.9	125,000	112,500		
諸雑費（まるめ）			式	1		0		
計						112,500		
単価						112,500	円／t	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一50号	ア'レス	L-100×100×10 中古品	単位	t	数量	1	単価	122,400		
名称		規格	単位	数量	単価	金額	摘要			
等辺山形鋼		中形 S S 4 0 0 1 0 × 1 0 0 × 1 0 0	t	0.9	136,000	122,400				
諸雑費（まるめ）			式	1		0				
計						122,400				
単価						122,400	円／t			

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一51号	受付〆切日	PL-16 中古品	単位	t	数量	1	単価	134,400
名称		規格	単位		数量	単価	金額	摘要
鋼板		厚板 無規格 $1.2 \leq t \leq 2.5$	t		0.9	148,000	133,200	
中厚板 規格エキストラ		SS400	t		0.9	1,300	1,170	
諸雑費（まるめ）			式		1		30	
計							134,400	
単価							134,400	円/t

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一52号	トップ フレート	PL-16 中古品	単位	t	数量	1	単価	134,400
名称		規格	単位		数量	単価	金額	摘要
鋼板		厚板 無規格 $1.2 \leq t \leq 2.5$	t		0.9	148,000	133,200	
中厚板 規格エキストラ		SS400	t		0.9	1,300	1,170	
諸雑費（まるめ）			式		1		30	
計							134,400	
単価							134,400	円/t

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一53号	エンド フレート	PL-22 中古品	単位	t	数量	1	単価	134,400
名称		規格	単位		数量	単価	金額	摘要
鋼板		厚板 無規格 $1.2 \leq t \leq 2.5$	t		0.9	148,000	133,200	
中厚板 規格エキストラ		SS400	t		0.9	1,300	1,170	
諸雑費（まるめ）			式		1		30	
計							134,400	
単価							134,400	円/t

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一54号	支持杭補強板	PL-12 中古品	単位	t	数量	1	単価	134,400
名称		規格	単位		数量	単価	金額	摘要
鋼板		厚板 無規格 $1.2 \leq t \leq 2.5$	t		0.9	148,000	133,200	
中厚板 規格エキストラ		SS400	t		0.9	1,300	1,170	
諸雑費 (まるめ)			式		1		30	
計							134,400	
単価							134,400	円/t

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一55号	支持杭補強板	PL-9 中古品	単位	t	数量	1	単価	108,300
名称		規格	単位		数量	単価	金額	摘要
鋼板		厚板 無規格 t = 9	t		0.9	119,000	107,100	
中厚板 規格エキストラ		SS400	t		0.9	1,300	1,170	
諸雑費 (まるめ)			式		1		30	
計							108,300	
単価							108,300	円/t

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一56号	上部工架設・撤去工	架設 クローラクレーン油圧駆動式ウインチ・ラチシング型 70t吊	単位 t	数量 10	単価 21,490
	名称	規格	単位	数量	単価
橋りょう世話役			人	0.62	43,056 26,694
橋りょう特殊工			人	2.1	37,232 78,187
普通作業員			人	0.41	22,776 9,338
クローラクレーン運転	クローラクレーン油圧駆動式ウインチ・ラチシング型 70t吊		日	0.58	161,900 93,902 単一 97号
諸雑費 (率+まるめ) 6%			式	1	6,779
計					214,900
単価					21,490 円／t

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

參考資料 (1)

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一60号	主桁添接板	PL-16 中古品	単位	t	数量	1	単価	134,400
名称		規格	単位		数量	単価	金額	摘要
鋼板		厚板 無規格 $1.2 \leq t \leq 2.5$	t		0.9	148,000	133,200	
中厚板 規格エキストラ		SS400	t		0.9	1,300	1,170	
諸雑費 (まるめ)			式		1		30	
計							134,400	
単価							134,400	円/t

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一61号	上部工架設・撤去工	撤去 クローラクレーン油圧駆動式ウインチ・チヌンプ型 70t吊	単位 t	数量 10	単価 10,960
	名称	規格	単位	数量	単価
橋りょう世話役			人	0.34	43,056
橋りょう特殊工			人	1	37,232
溶接工			人	0.13	30,888
普通作業員			人	0.17	22,776
クローラクレーン運転	クローラクレーン油圧駆動式ウインチ・チヌンプ型 70t吊		日	0.29	161,900
諸雑費 (率+まるめ) 5%			式	1	46,951
計					2,892
単価					109,600
					10,960
					円／t

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一62号	覆工板設置・撤去工	設置 クローラクレーン油圧駆動式ウインチ・ラチスジップ型 70t吊	単位 m 2	数量 100	単価 1,384	摘要
	名称	規格	単位	数量	単価	金額
土木一般世話役			人	0.45	27,976	12,589
とび工			人	1.5	28,288	42,432
普通作業員			人	0.27	22,776	6,149
クローラクレーン運転	クローラクレーン油圧駆動式ウインチ・ラチスジップ型 70t吊		日	0.47	161,900	76,093 WK250420
諸雑費（率+まるめ） 2%			式	1	1,137	単一 97号
計					138,400	
単価					1,384	円／m 2

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一63号	覆工板設置・撤去工	撤去 クローラクレーン油圧駆動式ウインチ・ラチシング型 70t吊	単位 m 2	数量 100	単価 675.7
	名称	規格	単位	数量	単価
土木一般世話役			人	0.27	27,976
とび工			人	0.8	28,288
普通作業員			人	0.12	22,776
クローラクレーン運転	クローラクレーン油圧駆動式ウインチ・ラチシング型 70t吊		日	0.21	161,900
諸雑費（率+まるめ） 2%			式	1	655
計					67,570
単価					675.7 円／m 2

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一65号	高欄設置・撤去工	単管V字型 設置	単位	m	数量	100	単価	1,146		
名称		規格	単位	数量	単価	金額	摘要			
土木一般世話役			人	1	27,976	27,976				
普通作業員			人	3.8	22,776	86,548				
諸雑費（まるめ）			式	1		76				
計						114,600				
単価						1,146	円／m			

參考資料 (1)

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一68号	パイプロハンマ施工による鋼矢板打込み	陸上 電動式 60kW 繼施工無 III型 9m以下	単位	枚	数量	10	単価	10,180
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.286	27,976	8,001		
とび工			人	0.571	28,288	16,152		
普通作業員			人	0.286	22,776	6,513		
パイプロハンマ杭打機運転（陸上施工）		打込み 電動式60kW III型	日	0.286	191,900	54,883	WYB00052	単一 99号
諸雑費（率+まるめ） 19%			式	1		16,251		
計						101,800		
単価						10,180	円／枚	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一69号	パイプロハンマ施工による鋼矢板引抜き	陸上 電動式60kW 9m以下	単位	枚	数量	10	単価	6,076
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.172	27,976	4,811		
とび工			人	0.345	28,288	9,759		
普通作業員			人	0.172	22,776	3,917		
パイプロハンマ杭打機運転（陸上施工）		引抜き 電動式60kW	日	0.172	191,900	33,006	WYB00014	単一 100号
諸雑費（率+まるめ） 18%			式	1		9,267		
計						60,760		
単価						6,076	円／枚	

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一71号	クリアペイントによる鋼矢板圧入	ウォータージェット併用 繰施工あり(2箇所)	単位	枚	数量	10	単価	124,800
名称		規格	単位	数量	単価	金額	摘要	
クリアペイント運転			日	1.37	322,200	441,414	単一 101号	
パイオランナー運転			日	1.37	43,460	59,540	単一 102号	
杭打ち用ウォータージェット運転		エンジン式・排ガス対策型 14.7MPa, 325L/min	日	1.37	77,410	106,051	単一 103号	
ラフテレンクレーン運転		油圧伸縮ジブ型 排出ガス対策型25t(50~51t)	日	1.37	86,070	117,915	単一 104号	
継施工費		鋼矢板III型	箇所	20	8,580	171,600		
土木一般世話役			人	1.37	27,976	38,327		
特殊作業員			人	1.37	27,144	37,187		
とび工			人	2.74	28,288	77,509		
溶接工			人	2.74	30,888	84,633		
諸雑費(率+まるめ) 11.9%			式	1		113,824		
計						1,248,000		

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一72号	クリアバーによる鋼矢板引抜	切断施工あり(2箇所)	単位	枚	数量	10	単価	56,990
名称								
クリアバー運転		規格	単位	数量	単価	金額	摘要	
			日	0.89	322,200	286,758	WYB00090	単一 105号
パイオランナー運転			日	0.89	43,460	38,679	WYB00091	
ラフテレンクレーン運転	油圧伸縮ジフ型 排出ガス対策型25t吊(50~51t吊)		日	0.89	86,070	76,602	WYB00092	
土木一般世話役			人	0.89	27,976	24,898		
特殊作業員			人	0.89	27,144	24,158		
とび工			人	1.79	28,288	50,635		
溶接工			人	0.89	30,888	27,490		
諸雑費(率+まるめ) 7.7%		式	1		40,680			
計						569,900		
単価						56,990	円/枚	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一73号	クリアバーチー設置・撤去	ウォータージェット併用圧入	単位	回	数量	1	単価	188,100
名称								
クリアバーチー運転		規格	単位	数量	単価	金額	摘要	
			日	0.29	322,200	93,438	WYB00094 単一 108号	
ラフテレーンクレーン運転			日	0.45	86,070	38,731	WYB00095 単一 109号	
土木一般世話役			人	0.5	27,976	13,988		
特殊作業員			人	0.5	27,144	13,572		
とび工			人	1	28,288	28,288		
諸雑費（まるめ）			式	1		83		
計						188,100		
単価						188,100	円／回	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一74号	クリアバーアー設置・撤去	引抜	単位	回	数量	1	単価	79,750
名称								
クリアバーアー運転			単位	数量	単価	金額	摘要	
			日	0.13	322,200	41,886	WYB00097 単一 110号	
ラフテレーンクレーン運転			日	0.19	86,070	16,353	WYB00098 単一 111号	
土木一般世話役			人	0.19	27,976	5,315		
特殊作業員			人	0.19	27,144	5,157		
とび工			人	0.39	28,288	11,032		
諸雑費（まるめ）			式	1		7		
計						79,750		
単価						79,750	円／回	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一75号	輸送用レール設置・撤去	単位	m	数量	10	単価	28,180
	名称	規格	単位	数量	単価	金額	摘要
クリアハーラー運転		日	0.5	322,200	161,100	WYB00100	単一 112号
ハイドランナー運転		日	0.5	43,460	21,730	WYB00101	単一 113号
ラフテレーンクレーン運転		日	0.5	86,070	43,035	WYB00102	単一 114号
土木一般世話役		人	0.5	27,976	13,988		
特殊作業員		人	0.5	27,144	13,572		
とび工		人	1	28,288	28,288		
諸雑費（まるめ）		式	1		87		
計					281,800		
単価					28,180	円／m	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-76号	鋼矢板	III型 クラップ 長未満 中古品	単位	t	数量	1	単価	180,000
名称		規格	単位		数量	単価	金額	摘要
鋼矢板		S Y 2 9 5	t		0.9	200,000	180,000	
諸雑費（まるめ）			式		1		0	
計							180,000	
単価							180,000	円／t

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一77号	クリアペイントによる鋼矢板圧入	ウォータージェット併用 繰施工あり(4箇所)	単位	枚	数量	10	単価	212,800
名称		規格	単位	数量	単価	金額	摘要	
クリアペイント運転			日	2.27	322,200	731,394	WYB00110 単一 115号	
パイオランナー運転			日	2.27	43,460	98,654	WYB00111 単一 116号	
杭打ち用ウォータージェット運転		エンジン式・排ガス対策型 14.7MPa, 325L/min	日	2.27	77,410	175,720	WYB00112 単一 117号	
ラフテレンクレーン運転		油圧伸縮ジブ型 排出ガス対策型25t(50~51t)	日	2.27	86,070	195,378	WYB00113 単一 118号	
継施工費		鋼矢板III型	箇所	40	8,580	343,200		
土木一般世話役			人	2.27	27,976	63,505		
特殊作業員			人	2.27	27,144	61,616		
とび工			人	4.55	28,288	128,710		
溶接工			人	4.55	30,888	140,540		
諸雑費(率+まるめ) 11.9%			式	1		189,283		
計						2,128,000		

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-78号	クリアハーベーによる鋼矢板引抜	切断施工あり(4箇所)	単位	枚	数量	10	単価	101,700
名称								
クリアハーベー運転		規格	単位	数量	単価	金額	摘要	
			日	1.59	322,200	512,298	WYB00114	単一 119号
ハイルランナー運転			日	1.59	43,460	69,101	WYB00115	
ラフテレーンクレーン運転	油圧伸縮ジフ型 排出ガス対策型25t吊(50~51t吊)		日	1.59	86,070	136,851	WYB00116	
土木一般世話役			人	1.59	27,976	44,481		
特殊作業員			人	1.59	27,144	43,158		
とび工			人	3.17	28,288	89,672		
溶接工			人	1.59	30,888	49,111		
諸雑費(率+まるめ) 7.7%		式	1		72,328			
計						1,017,000		
単価						101,700	円/枚	

参考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

単一79号	鋼矢板	III型 クラップ 長未満 中古品	単位	t	数量	1	単価	180,000
名称		規格	単位		数量	単価	金額	摘要
鋼矢板		S Y 2 9 5	t		0.9	200,000	180,000	
諸雑費 (まるめ)			式		1		0	
計							180,000	
単価							180,000	円／t

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一80号	切梁・腹起し設置・撤去	設置・撤去 無 標準(1.0)	単位	t	数量	10	単価	50,460
名称		規格	単位		数量	単価	金額	摘要
切梁・腹起し設置		無 標準(1.0)		t	10	31,570	315,700	WB251931
切梁・腹起し撤去		無 標準(1.0)		t	10	18,890	188,900	WB251932
諸雑費（まるめ）				式	1		0	
計							504,600	
単価							50,460	円／t

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一81号	山留材賃料	無 113日 無 有 4700円 有 940円 有 300000円 1回/現場	単位	t	数量	1	単価	41,970
名称		規格	単位	数量	単価	金額	摘要	
H形鋼 (山留主部材)		250~400型 (80~200kg/m)	t	1	13,560	13,560		
H形鋼 (山留主部材) 修理費及び損耗費			t	1	5,123	5,123		
副部材 (A) 賃料		賃料期間113日	t	0.22	40,137.6	8,830		
副部材 (A) 修理費及び損耗費			t	0.22	10,622	2,336		
副部材 (B) 修理費及び損耗費			t	0.04	303,000	12,120		
諸雑費 (まるめ)			式	1		1		
計						41,970		
単価						41,970	円/t	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一82号	交通誘導警備員A		単位	人日	数量	1	単価	18,310
	名称	規格	単位		数量	単価	金額	摘要
交通誘導警備員A			人	1	18,304	18,304		
諸雑費（まるめ）			式	1		6		
計						18,310		
単価						18,310	円／人日	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一83号	重建設機械分解組立輸送	分解組立+輸送(往復) クローラクレーン系 35t吊超80t吊以下(クレム平積0.6m3超2m3下) 標準(1.0)	単位	回	数量	1	単価	1,151,000
名称		規格	単位	数量	単価	金額	摘要	
特殊作業員			人	5.5	27,144	149,292		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t吊	日	1.5	44,100	66,150		
運搬費等率 434%			式	1		935,018		
諸雑費 (まるめ)			式	1		540		
計						1,151,000		
単価						1,151,000	円/回	

参考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

単一84号	重建設機械分解組立輸送	分解組立+輸送(往復) BH系山積1.0上1.4m3下(油圧クランクレバ0.4上0.6m3下) 標準(1.0)	単位	回	数量	1	単価	472,600
名称		規格	単位	数量	単価	金額	摘要	
特殊作業員			人	2.7	27,144	73,288		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	1.4	44,100	61,740		
運搬費等率 250%			式	1		337,570		
諸雑費 (まるめ)			式	1		2		
計						472,600		
単価						472,600	円/回	

参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-85号	仮設材等(鋼矢板、H形鋼、覆工板、敷鉄板等)の運	北海道・東北・北陸・中国・四国・九州 7.9km 12m以内 各種(実数入力) 0無 無	単位	t	数量	1	単価	3,410
名称		規格	単位	数量	単価	金額	摘要	
基本運賃区分B		製品長12m以内 10kmまで	t	1	3,410	3,410		
諸雑費(まるめ)			式	1		0		
計						3,410		
単価						3,410	円／t	

単一-86号	仮設材等(鋼矢板、H形鋼、覆工板、敷鉄板等)の運	北海道・東北・北陸・中国・四国・九州 7.9km 12mを超える15m以内 各種(実数入力) 0無 無	単位	t	数量	1	単価	4,030
名称		規格	単位	数量	単価	金額	摘要	
基本運賃区分B		製品長12m超15m以内 10kmまで	t	1	4,030	4,030		
諸雑費(まるめ)			式	1		0		
計						4,030		
単価						4,030	円／t	

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-87号	仮設材等の積込み、取卸し費	積込み、取卸し(片道分)	単位	t	数量	1	単価	1,500
	名称	規格	単位		数量	単価	金額	摘要
積込み、取卸し費（仮設材等）			t		1	1,500	1,500	
諸雑費（まるめ）			式		1		0	
計							1,500	
単価							1,500	円／t

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-88号	鉄筋探査工	横向き	単位	m 2	数量	12.5	単価	19,160		
名称		規格	単位	数量	単価	金額	摘要			
技師(A)			人	1	57,000	57,000				
技師(B)			人	2	47,200	94,400				
技師(C)			人	2	38,400	76,800				
諸雑費（率+まるめ） 5%			式	1		11,400				
計						239,600				
単価						19,160	円／m 2			

参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-89号	鉄筋探査工	下向き	単位	m 2	数量	18	単価	13,310		
名称		規格	単位	数量	単価	金額	摘要			
技師(A)			人	1	57,000	57,000				
技師(B)			人	2	47,200	94,400				
技師(C)			人	2	38,400	76,800				
諸雑費（率+まるめ） 5%			式	1		11,400				
計						239,600				
単価						13,310	円／m 2			

參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一91号	コンクリート削孔	削孔径 φ 23 L=140mm	単位	箇所	数量	10	単価	760.6		
名称		規格	単位	数量	単価	金額	摘要			
土木一般世話役			人	0.12	27,976	3,357				
特殊作業員			人	0.12	27,144	3,257				
諸雑費（率+まるめ） 15%			式	1		992				
計						7,606				
単価						760.6	円／箇所			

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-92号	アシ-定着工	D13 削孔深140mm	単位	箇所	数量	10	単価	2,191
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.19	27,976	5,315		
特殊作業員			人	0.38	27,144	10,314		
普通作業員			人	0.19	22,776	4,327		
注入材		エポキシ	kg	0.55	3,200	1,760		
諸雑費（率+まるめ） 1%			式	1		194		
計						21,910		
単価						2,191	円／箇所	

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一93号	コンクリート削孔	削孔径 φ 61 L=1030mm	単位	箇所	数量	10	単価	13,880
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1.67	27,976	46,719		
特殊作業員			人	1.67	27,144	45,330		
ダイヤモンドピット		呼径2.1/2インチ	個	2.17	16,900	36,673		
諸雑費（率+まるめ） 11%			式	1		10,078		
計						138,800		
単価						13,880	円／箇所	

参考資料（2）

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

単一94号	アシ-定着工	D51 削孔深1030mm	単位	箇所	数量	10	単価	6,920
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.27	27,976	7,553		
特殊作業員			人	0.54	27,144	14,657		
普通作業員			人	0.27	22,776	6,149		
注入材		エポキシ	kg	12.5	3,200	40,000		
諸雑費（率+まるめ） 3%			式	1		841		
計						69,200		
単価						6,920	円／箇所	

参考資料 (2)

単価	使用年月	2024.08
歩掛	使用年月	2024.08
労務調整係数		
		1.000-00-00-2-0

単一95号	バイプロハンマ杭打機運転	電動式バイプロハンマ 60kW(普通型) クローラクレーン油圧駆動式ウインチ・ラチスジブ型 70t吊	単位	日	数量	1	単価	192,400
	名称	規格	単位	数量	単価	金額	摘要	
運転手 (特殊)			人	1	26,624	26,624		
軽油			L	105	140	14,700		
バイプロハンマ (単体) [電動式・普通型]	461～480kN 60kW		供用日	1.32	23,100	30,492		
クローラクレーン [油圧駆動ウインチ・ラチスジブ]	排出ガス対策型 (2014年規制) 70t吊		供用日	1.32	91,300	120,516		
諸雑費 (まるめ)			式	1		68		
計						192,400		
単価						192,400	円／日	

参考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

単一-96号	クローラクレーン運転	クローラクレーン油圧駆動式ウインチ・ラチスジブ型 70t吊	単位	日	数量	1	単価	161,900
名称		規格	単位	数量	単価	金額	摘要	
運転手 (特殊)			人	1	26,624	26,624		
軽油			L	105	140	14,700		
クローラクレーン [油圧駆動ウインチ・ラチスジブ]		排出ガス対策型 (2014年規制) 70t吊	供用日	1.32	91,300	120,516		
諸雑費 (まるめ)			式	1		60		
計						161,900		
単価						161,900	円／日	

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一97号	クローラクレーン運転	クローラクレーン油圧駆動式ウインチ・ラチスジブ型 70t吊	単位	日	数量	1	単価	161,900
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	26,624	26,624		
軽油			L	105	140	14,700		
クローラクレーン〔油圧駆動ウインチ・ラチスジブ〕		排出ガス対策型（2014年規制）70t吊	供用日	1.32	91,300	120,516		
諸雑費（まるめ）			式	1		60		
計						161,900		
単価						161,900	円／日	

参考資料 (2)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一98号	クローラクレーン運転	クローラクレーン油圧駆動式ウインチ・ラチスジブ型 70t吊	単位	日	数量	1	単価	161,900
名称		規格	単位	数量	単価	金額	摘要	
運転手 (特殊)			人	1	26,624	26,624		
軽油			L	105	140	14,700		
クローラクレーン〔油圧駆動ウインチ・ラチスジブ〕		排出ガス対策型 (2014年規制) 70t吊	供用日	1.32	91,300	120,516		
諸雑費 (まるめ)			式	1		60		
計						161,900		
単価						161,900	円／日	

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一99号	バイプロハンマ杭打機運転（陸上施工）	打込み 電動式60kW III型	単位	日	数量	1	単価	191,900
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	26,624	26,624		
軽油			L	110	140	15,400		
バイプロハンマ（単体）【電動式・普通型】		461～480kN 60kW	供用日	1.31	23,100	30,261		
クローラクレーン【油圧駆動ワインチ・ラチスジブ】		排出ガス対策型（2014年規制）70t吊	供用日	1.31	91,300	119,603		
諸雑費（まるめ）			式	1		12		
計						191,900		
単価						191,900	円／日	

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一100号	バイプロハンマ杭打機運転（陸上施工）	引抜き 電動式60kW	単位	日	数量	1	単価	191,900
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	26,624	26,624		
軽油			L	110	140	15,400		
バイプロハンマ（単体）【電動式・普通型】		461～480kN 60kW	供用日	1.31	23,100	30,261		
クローラクレーン【油圧駆動ワインチ・ラチスジブ】		排出ガス対策型（2014年規制）70t吊	供用日	1.31	91,300	119,603		
諸雑費（まるめ）			式	1		12		
計						191,900		
単価						191,900	円／日	

參考資料 (2)

参考資料 (2)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一102号	ハイルンナー運転		単位	日	数量	1	単価	43,460		
名称		規格	単位	数量	単価	金額	摘要			
軽油			L	19	140	2,660				
ハイルンナー賃料		鋼矢板搬送用(II・III・IV・VL・VIL型用) 週休2日(土日)	日	1	40,800	40,800				
諸雑費 (まるめ)			式	1		0				
計						43,460				
単価						43,460	円／日			

參考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一104号	ラフテーンクレーン運転	油圧伸縮ジブ型 排出ガス対策型25t(50~51t)	単位	日	数量	1	単価	86,070
名称		規格	単位	数量	単価	金額	摘要	
軽油			L	88	140	12,320		
ラフテーンクレーン〔油圧伸縮ジブ型〕		排出ガス対策型（第2次基準値） 25t吊	供用日	1.45	32,500	47,125		
運転手（特殊）			人	1	26,624	26,624		
諸雑費（まるめ）			式	1		1		
計						86,070		
単価						86,070	円／日	

參考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

参考資料 (2)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一106号	ハイルンナー運転		単位	日	数量	1	単価	43,460		
名称		規格	単位	数量	単価	金額	摘要			
軽油			L	19	140	2,660				
ハイルンナー賃料		鋼矢板搬送用(II・III・IV・VL・VIL型用) 週休2日(土日)	日	1	40,800	40,800				
諸雑費 (まるめ)			式	1		0				
計						43,460				
単価						43,460	円／日			

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一107号	ラフテーンクレーン運転	油圧伸縮ジブ型 排出ガス対策型25t吊(50~51t吊)	単位	日	数量	1	単価	86,070
名称		規格		単位	数量	単価	金額	摘要
軽油				L	88	140	12,320	
ラフテーンクレーン〔油圧伸縮ジブ型〕		排出ガス対策型（第2次基準値） 25t吊		供用日	1.45	32,500	47,125	
運転手（特殊）				人	1	26,624	26,624	
諸雑費（まるめ）				式	1		1	
計							86,070	
単価							86,070	円／日

參考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一109号	ラフテーンクレーン運転	単位	日	数量	1	単価	86,070
	名称	規格	単位	数量	単価	金額	摘要
軽油		L	88	140	12,320		
ラフテーンクレーン〔油圧伸縮ジブ型〕	排出ガス対策型（第2次基準値） 25t 吊	供用日	1.45	32,500	47,125		
運転手（特殊）		人	1	26,624	26,624		
諸雑費（まるめ）		式	1		1		
計					86,070		
単価					86,070	円／日	

參考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一111号	ラフテーンクレーン運転	単位	日	数量	1	単価	86,070
	名称	規格	単位	数量	単価	金額	摘要
軽油		L	88	140	12,320		
ラフテーンクレーン〔油圧伸縮ジブ型〕	排出ガス対策型（第2次基準値） 25t 吊	供用日	1.45	32,500	47,125		
運転手（特殊）		人	1	26,624	26,624		
諸雑費（まるめ）		式	1		1		
計					86,070		
単価					86,070	円／日	

參考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

参考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

単一113号	ハイルンナー運転		単位	日	数量	1	単価	43,460		
名称		規格	単位	数量	単価	金額	摘要			
軽油			L	19	140	2,660				
ハイルンナー賃料		鋼矢板搬送用(II・III・IV・VL・VIL型用) 週休2日(土日)	日	1	40,800	40,800				
諸雑費 (まるめ)			式	1		0				
計						43,460				
単価						43,460	円／日			

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一114号	ラフテーンクレーン運転	単位	日	数量	1	単価	86,070
	名称	規格	単位	数量	単価	金額	摘要
軽油		L	88	140	12,320		
ラフテーンクレーン〔油圧伸縮ジブ型〕	排出ガス対策型（第2次基準値） 25t 吊	供用日	1.45	32,500	47,125		
運転手（特殊）		人	1	26,624	26,624		
諸雑費（まるめ）		式	1		1		
計					86,070		
単価					86,070	円／日	

參考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

参考資料 (2)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一116号	ハイルンナー運転		単位	日	数量	1	単価	43,460		
名称		規格	単位	数量	単価	金額	摘要			
軽油			L	19	140	2,660				
ハイルンナー賃料		鋼矢板搬送用(II・III・IV・VL・VIL型用) 週休2日(土日)	日	1	40,800	40,800				
諸雑費 (まるめ)			式	1		0				
計						43,460				
単価						43,460	円／日			

參考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一118号	ラフテレンクレーン運転	油圧伸縮ジブ型 排出ガス対策型25t(50~51t)	単位	日	数量	1	単価	86,070
名称		規格	単位	数量	単価	金額	摘要	
軽油			L	88	140	12,320		
ラフテレンクレーン〔油圧伸縮ジブ型〕		排出ガス対策型（第2次基準値） 25t吊	供用日	1.45	32,500	47,125		
運転手（特殊）			人	1	26,624	26,624		
諸雑費（まるめ）			式	1		1		
計						86,070		
単価						86,070	円／日	

參考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一120号	ハイルンナー運転		単位	日	数量	1	単価	43,460		
名称		規格	単位	数量	単価	金額	摘要			
軽油			L	19	140	2,660				
ハイルンナー賃料		鋼矢板搬送用(II・III・IV・VL・VIL型用) 週休2日(土日)	日	1	40,800	40,800				
諸雑費（まるめ）			式	1		0				
計						43,460				
単価						43,460	円／日			

参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一121号	ラフテレンクレーン運転	油圧伸縮ジブ型 排出ガス対策型25t吊(50~51t吊)	単位	日	数量	1	単価	86,070
名称		規格	単位	数量	単価	金額	摘要	
軽油			L	88	140	12,320		
ラフテレンクレーン〔油圧伸縮ジブ型〕		排出ガス対策型（第2次基準値） 25t吊	供用日	1.45	32,500	47,125		
運転手（特殊）			人	1	26,624	26,624		
諸雑費（まるめ）			式	1		1		
計						86,070		
単価						86,070	円／日	

参考資料 (2)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一122号	切梁・腹起し設置	無 標準(1.0)	単位	t	数量	10	単価	31,570
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1.7	27,976	47,559		
とび工			人	3.2	28,288	90,521		
溶接工			人	1.7	30,888	52,509		
普通作業員			人	1.7	22,776	38,719		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	1.7	44,100	74,970		
諸雑費 (率+まるめ) 5%			式	1		11,422		
計						315,700		
単価						31,570	円／t	

参考資料 (2)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一123号	切梁・腹起し撤去	無 標準(1.0)	単位	t	数量	10	単価	18,890
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1	27,976	27,976		
とび工			人	1.9	28,288	53,747		
溶接工			人	1	30,888	30,888		
普通作業員			人	1	22,776	22,776		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	1	44,100	44,100		
諸雑費 (率+まるめ) 7%			式	1		9,413		
計						188,900		
単価						18,890	円／t	