

# 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一58号	U型側溝	据付け 無し 無し 側溝(各種) L=2000mm 1000kg/個以下 無し 無し 有り 再生クラッシャーラン 40～0 0.68m <sup>3</sup> /10m	単位	m	数量	10	単価	9,577
名称		規格	単位	数量	単価	金額	摘要	
U型側溝		L 2 0 0 0 1 0 0 0 k g 以下 昼 無	m	10	3,932.24	39,322		
ペソチブリューム		BF- I -B600-L2000	個	5	10,800	54,000		
再生クラッシャーラン		R C - 4 0	m 3	0.816	3,000	2,448		
諸雑費 (まるめ)			式	1		0		
計						95,770		
単価						9,577	円／m	

# 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一59号	コンクリート打設工	防草コンクリート 人力打設 各種 無し 10m <sup>3</sup> /100m <sup>2</sup> 無し	単位	m <sup>2</sup>	数量	100	単価	3,180
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1	27,976	27,976		
普通作業員			人	2.9	22,776	66,050		
生コンクリート		18-8-40BB W/C≤65%	m <sup>3</sup>	12.1	18,500	223,850		
諸雑費 (率+まるめ) 0.2%			式	1		124		
計						318,000		
単価						3,180	円／m <sup>2</sup>	

# 参考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

単一60号	モルタル床版	高流動モルタル 圧縮強度:18N/mm <sup>2</sup> 以上, フロー値:300mm以上	単位	m <sup>3</sup>	数量	10	単価	121,500
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	3.33	27,976	93,160		
特殊作業員			人	10	27,144	271,440		
普通作業員			人	10	22,776	227,760		
コンクリートポンプ車運転		トラック架装・ポンプ式 圧送能力90~110m <sup>3</sup> /h	日	3.33	102,700	341,991	WYB00016	単一 93号
高流動モルタル		圧縮強度18N/mm <sup>2</sup> 以上, フロー値300mm以上	m <sup>3</sup>	10.6	25,600	271,360		
諸雑費 (率+まるめ) 1%			式	1		9,289		
計						1,215,000		
単価						121,500	円/m <sup>3</sup>	

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一61号	着脱式軽量盛土壁面材設置工		単位	m 2	数量	100	単価	2,345		
名称		規格	単位	数量	単価	金額	摘要			
土木一般世話役			人	1	27,976	27,976				
型わく工			人	2.5	27,768	69,420				
普通作業員			人	5	22,776	113,880				
諸雑費（率+まるめ） 11%			式	1		23,224				
計						234,500				
単価						2,345	円／m 2			

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一62号	削孔	φ 300 H=580mm	単位	箇所	数量	10	単価	61,430
名称		規格	単位	数量	単価	金額	摘要	
特殊作業員			人	2.99	27,144	81,160		
普通作業員			人	2.99	22,776	68,100		
コンクリート穿孔機〔電動式コアボーリングマシン〕		最大穿孔径35cm	日	2.99	4,930	14,740		
発動発電機運転		ガソリンエンジン駆動 5kVA	日	2.99	4,008	11,983	単一 94号	WYB00012
ダイヤモンドピット		呼径12インチ	個	4.9	80,700	395,430		
エキステンションチューブ		呼径12インチ	個	0.57	30,700	17,499		
アダプター(カップリング)		呼径12インチ	個	0.45	23,400	10,530		
諸雑費（率+まるめ） 10%			式	1		14,858		
計						614,300		
単価						61,430	円／箇所	

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一63号	足場工	手摺先行型枠組足場 必要 標準	単位	掛m 2	数量	100	単価	4,932
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1.6	27,976	44,761		
とび工			人	8.5	28,288	240,448		
普通作業員			人	1.3	22,776	29,608		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	1.4	44,100	61,740		
諸雑費 (率+まるめ) 31%			式	1		116,643		
計						493,200		
単価						4,932	円／掛m 2	

## 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一64号	コンクリートブロック積工	JIS滑面 150kg/個未満 無し 無し 練積 有(胴込+裏込) 0.11m <sup>3</sup> /m <sup>2</sup> 生コンクリート各種	単位	m <sup>2</sup>	数量	100	単価	25,230
名称		規格	単位	数量	単価	金額	摘要	
ブロック積工		昼間 制約無	m <sup>2</sup>	100	14,388.4	1,438,840		
コンクリート積ブロック		J I S 滑面 150 k g /個未満	m <sup>2</sup>	100	8,500	850,000		
生コンクリート		18-8-40BB W/C≤60%	m <sup>3</sup>	12.32	19,000	234,080		
諸雑費 (まるめ)			式	1		80		
計						2,523,000		
単価						25,230	円 / m <sup>2</sup>	

# 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一65号	コンクリート削孔工 削孔径 φ 23 L=140mm (D13 削孔深140mmのアンカ-定着工含む)	単位	箇所	数量	1	単価	2,951
	名称	規格	単位	数量	単価	金額	摘要
コンクリート削孔	削孔径 φ 23 L=140mm	箇所	1	760.6	760	WYB00002	単一 95号
アンカ-定着工	D13 削孔深140mm	箇所	1	2,191	2,191	WYB00003	単一 96号
諸雑費 (まるめ)		式	1		0		
計					2,951		
単価					2,951	円／箇所	

## 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一66号	コンクリート削孔工 削孔径 φ 61 L=1030mm m	(D51 削孔深1030mmのアンカ定着工含む)	単位	箇所	数量	1	単価	20,800
	名称	規格	単位		数量	単価	金額	摘要
コンクリート削孔		削孔径 φ 61 L=1030mm		箇所	1	13,880	13,880	WYB00005
アンカ定着工		D51 削孔深1030mm		箇所	1	6,920	6,920	WYB00006 单一 97号
諸雑費（まるめ）			式		1		0	
計							20,800	
単価							20,800	円／箇所

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一67号	鉄筋工 [市場単価]	SD345 D13 一般構造物 10t以上(標準) 無 無 無 無 太径鉄筋の割合40%以上 切梁のある構造物	単位	t	数量	1	単価	173,800
名称		規格	単位	数量	単価	金額	摘要	
鉄筋コンクリート用棒鋼		S D 3 4 5 D 1 3	t	1.03	122,000	125,660		
鉄筋工		加工・組立共 一般構造物	t	1	48,048	48,048		
諸雑費（まるめ）			式	1		92		
計						173,800		
単価						173,800	円／t	

## 參考資料 (1)

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一69号	鉄筋工 [市場単価]	SD345 D35 一般構造物 10t以上(標準) 無 無 無 無 太径鉄筋の割合40%以上 切梁のある構造物	単位	t	数量	1	単価	175,800
名称		規格	単位	数量	単価	金額	摘要	
鉄筋コンクリート用棒鋼		S D 3 4 5 D 3 5	t	1.03	124,000	127,720		
鉄筋工		加工・組立共 一般構造物	t	1	48,048	48,048		
諸雑費（まるめ）			式	1		32		
計						175,800		
単価						175,800	円／t	

## 參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1.000-00-00-2-0

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一71号	鉄筋工 [市場単価]	SD345 D51 一般構造物 10t以上(標準) 無 無 無 無 太径鉄筋の割合40%以上 切梁のある構造物	単位	t	数量	1	単価	192,300
名称		規格	単位	数量	単価	金額	摘要	
鉄筋コンクリート用棒鋼		S D 3 4 5 D 5 1	t	1.03	140,000	144,200		
鉄筋工		加工・組立共 一般構造物	t	1	48,048	48,048		
諸雑費（まるめ）			式	1		52		
計						192,300		
単価						192,300	円／t	

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-72号	ガス圧接工（手動・自動） [市場単価]	D51+D51 100箇所未満 無	単位	箇所	数量	1	単価	5,744
名称		規格	単位	数量	単価	金額	摘要	
ガス圧接工		手動（半自動）・自動 D 5 1 + D 5 1	箇所	1	5,744.82	5,744		
諸雑費（まるめ）			式	1		0		
計						5,744		
単価						5,744	円／箇所	

単一-73号	構造物とりこわし	無筋構造物 機械施工 無し 無し 不要	単位	m 3	数量	1	単価	8,356
名称		規格	単位	数量	単価	金額	摘要	
無筋構造物		昼間 機械施工 制約無	m 3	1	8,356.39	8,356		
諸雑費（まるめ）			式	1		0		
計						8,356		
単価						8,356	円／m 3	

## 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-74号	処分費（t）		単位	t	数量	100	単価	1,300
名称		規格	単位		数量	単価	金額	摘要
処分費(無筋Co)		No.33 早出川骨材共同組合	t		100	1,300	130,000	
計							130,000	
単価							1,300	円／t

単一-75号	処分費（t）		単位	t	数量	100	単価	2,700
名称		規格	単位		数量	単価	金額	摘要
処分費(二次製品(鉄筋))		No.14 (株)坂詰組コンクリートサイクルセンター	t		100	2,700	270,000	
計							270,000	
単価							2,700	円／t

# 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一76号	鋼矢板压入 (N m a x $\leq$ 50)	陸上 25< Nmax $\leq$ 50 III型 9m以下	単位	枚	数量	10	単価	27,770
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.526	27,976	14,715		
特殊作業員			人	0.526	27,144	14,277		
とび工			人	1.053	28,288	29,787		
油圧式杭压入引抜機運転		压入(Nmax $\leq$ 50) III型	日	0.526	189,300	99,571	WK250240	単一 99号
杭打ち用ウォータージェット運転			日	0.526	93,050	48,944	WK250270	単一 100号
ラフテレーンクレーン運転		25t吊 排出ガス対策型(第3次基準値)	日	0.526	94,820	49,875	WK250560	単一 101号
諸雑費 (率+まるめ) 8%			式	1		20,531		
計						277,700		
単価						27,770	円/枚	

# 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一77号	油圧式杭圧入引抜機据付・解体	圧入(N <sub>max</sub> ≤50) III型 陸上	単位	回	数量	1	単価	153,500
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.5	27,976	13,988		
特殊作業員			人	0.5	27,144	13,572		
とび工			人	1	28,288	28,288		
油圧式杭圧入引抜機運転		圧入(N <sub>max</sub> ≤50) III型	日	0.29	189,300	54,897	WK250240	単一 99号
ラフテレーンクレーン運転		25t吊 排出ガス対策型(第3次基準値)	日	0.45	94,820	42,669	WK250560	単一 101号
諸雑費(まるめ)			式	1		86		
計						153,500		
単価						153,500	円/回	

# 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一78号	鋼矢板引抜き	陸上 III型 9m以下	単位	枚	数量	10	単価	8,252
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.208	27,976	5,819		
特殊作業員			人	0.208	27,144	5,645		
とび工			人	0.417	28,288	11,796		
油圧式杭圧入引抜機運転		引抜き III型	日	0.208	189,300	39,374	WK250240	
ラフテレーンクレーン運転		25t吊 排出ガス対策型(第3次基準値)	日	0.208	94,820	19,722	WK250560	
諸雑費(率+まるめ) 0.2%			式	1		164	単一 101号	
計						82,520		
単価						8,252	円/枚	

# 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一79号	油圧式杭圧入引抜機据付・解体	引抜き III型 陸上	単位	回	数量	1	単価	64,130
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.19	27,976	5,315		
特殊作業員			人	0.19	27,144	5,157		
とび工			人	0.39	28,288	11,032		
油圧式杭圧入引抜機運転		引抜き III型	日	0.13	189,300	24,609	WK250240	
ラフテレーンクレーン運転		25t吊 排出ガス対策型(第3次基準値)	日	0.19	94,820	18,015	WK250560	
諸雑費 (まるめ)			式	1		2		
計						64,130		
単価						64,130	円／回	

## 參考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一81号	切梁・腹起し設置・撤去	設置・撤去 無 標準(1.0)	単位	t	数量	10	単価	50,460
名称								
切梁・腹起し設置	無 標準(1.0)		t	10	31,570	315,700	WB251931	单一 103号
切梁・腹起し撤去	無 標準(1.0)		t	10	18,890	188,900	WB251932	单一 104号
諸雑費（まるめ）			式	1		0		
計						504,600		
単価						50,460	円／t	

# 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-82号	山留材賃料	無 181日 無 有 4700円 有 940円 有 300000円 1回/現場	単位	t	数量	1	単価	51,620
名称		規格	単位	数量	単価	金額	摘要	
H形鋼 (山留主部材)		250~400型 (80~200kg/m)	t	1	19,367	19,367		
H形鋼 (山留主部材) 修理費及び損耗費			t	1	5,123	5,123		
副部材 (A) 賃料		賃料期間181日	t	0.22	57,594.2	12,670		
副部材 (A) 修理費及び損耗費			t	0.22	10,622	2,336		
副部材 (B) 修理費及び損耗費			t	0.04	303,000	12,120		
諸雑費 (まるめ)			式	1		4		
計						51,620		
単価						51,620	円/t	

# 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一83号	大型土のう工	製作・設置 流用土 6m以下	単位	袋	数量	10	単価	4,929
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.278	27,976	7,777		
特殊作業員			人	0.278	27,144	7,546		
普通作業員			人	0.278	22,776	6,331		
大型土のう袋材		H = 1. 0 8 m W = 1. 1 m	袋	10	1,100	11,000		
バックホウ運転 (クレーン仕様)		製作・設置 6m以下	日	0.278	56,760	15,779	WK250500	単一 105号
諸雑費 (率+まるめ) 4%			式	1		857		
計						49,290		
単価						4,929	円／袋	

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一84号	大型土のう工	撤去 6m以下	単位	袋	数量	10	単価	736.6		
名称		規格	単位	数量	単価	金額	摘要			
土木一般世話役			人	0.069	27,976	1,930				
特殊作業員			人	0.069	27,144	1,872				
バックホウ運転（クレーン仕様）		撤去 6m以下	日	0.069	51,660	3,564	WK250500 単一 106号			
諸雑費（まるめ）			式	1		0				
計						7,366				
単価						736.6	円／袋			

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一85号	交通誘導警備員A		単位	人日	数量	1	単価	18,310
名称		規格	単位	数量	単価	金額	摘要	
交通誘導警備員A			人	1	18,304	18,304		
諸雑費（まるめ）			式	1		6		
計						18,310		
単価						18,310	円／人日	

単一86号	交通誘導警備員B		単位	人日	数量	1	単価	16,330
名称		規格	単位	数量	単価	金額	摘要	
交通誘導警備員B			人	1	16,328	16,328		
諸雑費（まるめ）			式	1		2		
計						16,330		
単価						16,330	円／人日	

## 参考資料 (1)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

単一-87号	重建設機械分解組立輸送	分解組立+輸送(往復) BH系山積1.0上1.4m3下(油圧クランクレバ0.4上0.6m3下) 標準(1.0)	単位	回	数量	1	単価	472,600
名称		規格	単位	数量	単価	金額	摘要	
特殊作業員			人	2.7	27,144	73,288		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	1.4	44,100	61,740		
運搬費等率 250%			式	1		337,570		
諸雑費 (まるめ)			式	1		2		
計						472,600		
単価						472,600	円/回	

## 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-88号	仮設材等(鋼矢板、H形鋼、覆工板、敷鉄板等)の運	北海道・東北・北陸・中国・四国・九州 4.3km 12m以内 各種(実数入力) 0無 無	単位	t	数量	1	単価	3,410
名称		規格	単位	数量	単価	金額	摘要	
基本運賃区分B		製品長12m以内 10kmまで	t	1	3,410	3,410		
諸雑費(まるめ)			式	1		0		
計						3,410		
単価						3,410	円／t	

単一-89号	仮設材等の積込み、取卸し費	積込み、取卸し(片道分)	単位	t	数量	1	単価	1,500
名称		規格	単位	数量	単価	金額	摘要	
積込み、取卸し費(仮設材等)			t	1	1,500	1,500		
諸雑費(まるめ)			式	1		0		
計						1,500		
単価						1,500	円／t	

# 参考資料 (1)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一90号	鉄筋探査工	横向き	単位	m 2	数量	12.5	単価	19,160		
名称		規格	単位	数量	単価	金額	摘要			
技師(A)			人	1	57,000	57,000				
技師(B)			人	2	47,200	94,400				
技師(C)			人	2	38,400	76,800				
諸雑費 (率+まるめ) 5%			式	1		11,400				
計						239,600				
単価						19,160	円／m 2			

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-91号	鉄筋探査工	下向き	単位	m 2	数量	18	単価	13,310		
名称		規格	単位	数量	単価	金額	摘要			
技師(A)			人	1	57,000	57,000				
技師(B)			人	2	47,200	94,400				
技師(C)			人	2	38,400	76,800				
諸雑費（率+まるめ） 5%			式	1		11,400				
計						239,600				
単価						13,310	円／m 2			

# 参考資料（1）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-92号	道路施設基本データ作成費	技術員 1.75人/式	単位	式	数量	1	単価	58,800		
名称		規格	単位	数量	単価	金額	摘要			
技術員			人	1.75	33,600	58,800				
諸雑費（まるめ）			式	1		0				
計						58,800				
単価						58,800	円/式			

## 參考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

## 参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一94号	発動発電機運転	ガソリンエンジン駆動 5kVA	単位	日	数量	1	単価	4,008		
名称		規格	単位	数量	単価	金額	摘要			
ガソリン		レギュラー	L	19	152	2,888				
発動発電機〔ガソリンエンジン駆動〕		5 kVA	日	1	1,120	1,120				
諸雑費（まるめ）			式	1		0				
計						4,008				
単価						4,008	円／日			

## 参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一95号	コンクリート削孔	削孔径 φ 23 L=140mm	単位	箇所	数量	10	単価	760.6		
名称		規格	単位	数量	単価	金額	摘要			
土木一般世話役			人	0.12	27,976	3,357				
特殊作業員			人	0.12	27,144	3,257				
諸雑費（率+まるめ） 15%			式	1		992				
計						7,606				
単価						760.6	円／箇所			

## 参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-96号	アシ-定着工	D13 削孔深140mm	単位	箇所	数量	10	単価	2,191
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.19	27,976	5,315		
特殊作業員			人	0.38	27,144	10,314		
普通作業員			人	0.19	22,776	4,327		
注入材		エポキシ	kg	0.55	3,200	1,760		
諸雑費（率+まるめ） 1%			式	1		194		
計						21,910		
単価						2,191	円／箇所	

## 参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-97号	コンクリート削孔	削孔径 φ 61 L=1030mm	単位	箇所	数量	10	単価	13,880
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1.67	27,976	46,719		
特殊作業員			人	1.67	27,144	45,330		
ダイヤモンドピット		呼径2.1/2インチ	個	2.17	16,900	36,673		
諸雑費（率+まるめ） 11%			式	1		10,078		
計						138,800		
単価						13,880	円／箇所	

## 参考資料（2）

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-98号	アシ-定着工	D51 削孔深1030mm	単位	箇所	数量	10	単価	6,920
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.27	27,976	7,553		
特殊作業員			人	0.54	27,144	14,657		
普通作業員			人	0.27	22,776	6,149		
注入材		エポキシ	kg	12.5	3,200	40,000		
諸雑費（率+まるめ） 3%			式	1		841		
計						69,200		
単価						6,920	円／箇所	

## 參考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

## 参考資料 (2)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一100号	杭打ち用ウォータージェット運転	単位	日	数量	1	単価	93,050
	名称	規格	単位	数量	単価	金額	摘要
軽油			L	139	140	19,460	
杭打ち用ウォータージェット [エンジン式]	排ガス型 (第3次) 14.7 MPa 325 L/min		供用日	1.46	50,400	73,584	
諸雑費 (まるめ)			式	1		6	
計						93,050	
単価						93,050	円／日

## 参考資料 (2)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一101号	ラフテレーンクレーン運転	25t吊 排出ガス対策型(第3次基準値)	単位	日	数量	1	単価	94,820
名称		規格	単位	数量	単価	金額	摘要	
運転手 (特殊)			人	1	26,624	26,624		
軽油			L	95	140	13,300		
ラフテレーンクレーン [油圧伸縮ジブ型]		排出ガス対策型 (第3次基準値) 25t吊	供用日	1.46	37,600	54,896		
諸雑費 (まるめ)			式	1		0		
計						94,820		
単価						94,820	円／日	

## 參考資料 (2)

## 参考資料 (2)

単価使用年月	2024.08
歩掛使用年月	2024.08
労務調整係数	1.000-00-00-2-0

単一-103号	切梁・腹起し設置	無 標準(1.0)	単位	t	数量	10	単価	31,570
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1.7	27,976	47,559		
とび工			人	3.2	28,288	90,521		
溶接工			人	1.7	30,888	52,509		
普通作業員			人	1.7	22,776	38,719		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	1.7	44,100	74,970		
諸雑費 (率+まるめ) 5%			式	1		11,422		
計						315,700		
単価						31,570	円／t	

## 参考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

単一104号	切梁・腹起し撤去	無 標準(1.0)	単位	t	数量	10	単価	18,890
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	1	27,976	27,976		
とび工			人	1.9	28,288	53,747		
溶接工			人	1	30,888	30,888		
普通作業員			人	1	22,776	22,776		
ラフテレーンクレーン [油圧伸縮ジブ型]		25 t 吊	日	1	44,100	44,100		
諸雑費 (率+まるめ) 7%			式	1		9,413		
計						188,900		
単価						18,890	円／t	

## 参考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

単一105号	バックホウ運転 (クレーン仕様)	製作・設置 6m以下	単位	日	数量	1	単価	56,760
名称		規格	単位	数量	単価	金額	摘要	
運転手 (特殊)			人	1	26,624	26,624		
軽油			L	104	140	14,560		
バックホウ (クローラ) [標準・クレーン機能付き]		山積0. 8m3 (平積0. 6m3) 2. 9t吊	日	1. 39	11,200	15,568		
諸雑費 (まるめ)			式	1		8		
計						56,760		
単価						56,760	円／日	

## 参考資料 (2)

単価使用年月	2024. 08
歩掛使用年月	2024. 08
労務調整係数	1. 000-00-00-2-0

単一106号	バックホウ運転 (クレーン仕様)	撤去 6m以下	単位	日	数量	1	単価	51, 660
名称		規格	単位	数量	単価	金額	摘要	
運転手 (特殊)			人	1	26, 624	26, 624		
軽油			L	78	140	10, 920		
バックホウ (クローラ) [標準・クレーン機能付き]		山積0. 8 m <sup>3</sup> (平積0. 6 m <sup>3</sup> ) 2. 9 t 吊	日	1. 26	11, 200	14, 112		
諸雑費 (まるめ)			式	1		4		
計						51, 660		
単価						51, 660	円／日	