

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一92号	中層混合処理工	5m < L ≤ 8m 1,000m ³ 以上 250kg/m ³ 無	単位	m ³	数量	100	単価	8,401
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.365	32,844	11,988		
特殊作業員			人	0.365	30,600	11,169		
普通作業員			人	0.73	25,806	18,838		
セメント系固化材		一般軟弱土用 パラ	t	26.5	19,000	503,500		
中層混合処理機運転		5m < L ≤ 8m	日	0.365	529,200	193,158	単一 125号	WK220610
スラリープラント運転			日	0.365	87,700	32,010	単一 126号	WK220620
諸雑費 (率+まるめ) 26%			式	1		69,437		
計						840,100		
単価						8,401	円／m ³	

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一-93号	中層混合処理工	5m < L ≤ 8m 1,000m ³ 以上 160kg/m ³ 無	単位	m ³	数量	100	単価	6,588
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.365	32,844	11,988		
特殊作業員			人	0.365	30,600	11,169		
普通作業員			人	0.73	25,806	18,838		
セメント系固化材		一般軟弱土用 パラ	t	16.96	19,000	322,240		
中層混合処理機運転		5m < L ≤ 8m	日	0.365	529,200	193,158	単一-125号	WK220610
スラリープラント運転			日	0.365	87,700	32,010	単一-126号	WK220620
諸雑費 (率+まるめ) 26%			式	1		69,397		
計						658,800		
単価						6,588	円/m ³	

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一94号	コンクリートブロック積工	JIS粗面 150kg/個未満 無し 無し 練積 有(胴込+裏込) 0.38m ³ /m ² 生コンクリート各種	単位	m ²	数量	100	単価	32,710
名称		規格	単位	数量	単価	金額	摘要	
ブロック積工		昼間 制約無	m ²	100	15,810	1,581,000		
コンクリート積ブロック		J I S粗面 150kg／個未満	m ²	100	6,600	660,000		
生コンクリート		18-8-25BB W/C≤60%	m ³	42.56	24,200	1,029,952		
諸雑費 (まるめ)			式	1		48		
計						3,271,000		
単価						32,710	円／m ²	

參考資料 (1)

參考資料 (1)

參考資料 (1)

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一-98号	U型側溝	据付け 無し 無し 側溝(各種) L=2000mm 1000kg/個以下 無し 無し 有り 再生クラッシャーラン 40～0 0.4m3/10m	単位	m	数量	10	単価	7,015
名称		規格	単位	数量	単価	金額	摘要	
U型側溝		L 2 0 0 0 1 0 0 0 k g 以下 昼 無	m	10	4,390.08	43,900		
側溝		BF- I -B300-L2000	個	5	4,770	23,850		
再生クラッシャーラン		R C - 4 0	m 3	0.48	5,000	2,400		
諸雑費 (まるめ)			式	1		0		
計						70,150		
単価						7,015	円／m	

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一99号	自由勾配側溝	無し L=2000mm 1000kg/個以下 無し 生コンクリート(各種) 0.55m ³ /10m 有り 再生クラッシャーラン 40～0 0.55m ³ /10m	単位	m	数量	10	単価	13,840
名称		規格	単位	数量	単価	金額	摘要	
自由勾配側溝		L 2 0 0 0 1 0 0 0 k g 以下 昼 無	m	10	6,675.9	66,759		
自由勾配側溝		FU-B300-C300-L2000	個	5	9,250	46,250		
生コンクリート		18-8-40BB W/C≤65%	m 3	0.583	23,700	13,817		
生コンクリート		18-8-25BB W/C≤60%	m 3	0.339	24,200	8,203		
再生クラッシャーラン		R C - 4 0	m 3	0.66	5,000	3,300		
諸雑費 (まるめ)			式	1		71		
計						138,400		
単価						13,840	円／m	

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一100号	自由勾配側溝	無し L=2000mm 1000kg/個以下 無し 生コンクリート(各種) 0.66m ³ /10m 有り 再生クラッシャーラン 40～0 0.66m ³ /10m	単位	m	数量	10	単価	35,590
名称		規格	単位	数量	単価	金額	摘要	
自由勾配側溝		L 2 0 0 0 1 0 0 0 k g 以下 昼 無	m	10	6,675.9	66,759		
自由勾配側溝		FU-B400-C600-L2000(横断用)	個	5	51,500	257,500		
生コンクリート		18-8-40BB W/C≤65%	m 3	0.7	23,700	16,590		
生コンクリート		18-8-25BB W/C≤60%	m 3	0.456	24,200	11,035		
再生クラッシャーラン		R C - 4 0	m 3	0.792	5,000	3,960		
諸雑費 (まるめ)			式	1		56		
計						355,900		
単価						35,590	円／m	

参考資料 (1)

単価	使用年月	2025.07
歩掛	使用年月	2025.07
労務調整係数		
1.000-00-00-2-0		

単一-101号	自由勾配側溝	無し L=2000mm 1000kg/個以下 無し 生コンクリート(各種) 0.66m ³ /10m 有り 再生クラッシャーラン 40～0 0.66m ³ /10m	単位	m	数量	10	単価	38,790
名称		規格	単位	数量	単価	金額	摘要	
自由勾配側溝		L 2 0 0 0 1 0 0 0 k g 以下 昼 無	m	10	6,675.9	66,759		
自由勾配側溝		FU-B400-C700-L2000(横断用)	個	5	57,900	289,500		
生コンクリート		18-8-40BB W/C≤65%	m 3	0.7	23,700	16,590		
生コンクリート		18-8-25BB W/C≤60%	m 3	0.456	24,200	11,035		
再生クラッシャーラン		R C - 4 0	m 3	0.792	5,000	3,960		
諸雑費 (まるめ)			式	1		56		
計						387,900		
単価						38,790	円／m	

參考資料 (1)

単価使用年月	2025. 07
歩掛使用年月	2025. 07
労務調整係数	1. 000-00-00-2-0

參考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一104号	蓋版	据付け 無し 蓋版(各種) 40を超える170kg/枚以下 無し 無し	単位	枚	数量	100	単価	34,880		
名称		規格	単位	数量	単価	金額	摘要			
蓋版コンクリート・鋼製		170kg以下 昼 無	枚	100	971.04	97,104				
側溝蓋		C-G-T-B400-L995(普通目・ボルト固定・T-25)	枚	100	33,900	3,390,000				
諸雑費 (まるめ)			式	1		896				
計						3,488,000				
単価						34,880	円/枚			

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一-105号	U型側溝	据付け 無し 無し 側溝(各種) L=2000mm 1000kg/個以下 無し 無し 有り 再生クラッシャーラン 40～0 0.5m3/10m	単位	m	数量	10	単価	8,735
名称		規格	単位	数量	単価	金額	摘要	
U型側溝		L 2 0 0 0 1 0 0 0 k g 以下 昼 無	m	10	4,390.08	43,900		
側溝		BF- I -B400-L2000	個	5	8,090	40,450		
再生クラッシャーラン		R C - 4 0	m 3	0.6	5,000	3,000		
諸雑費 (まるめ)			式	1		0		
計						87,350		
単価						8,735	円／m	

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一-106号	自由勾配側溝	無し L=2000mm 1000kg/個以下 無し 生コンクリート(各種) 0.66m ³ /10m 有り 再生クラッシャーラン 40～0 0.66m ³ /10m	単位	m	数量	10	単価	16,290
名称		規格	単位	数量	単価	金額	摘要	
自由勾配側溝		L 2 0 0 0 1 0 0 0 k g 以下 昼 無	m	10	6,675.9	66,759		
自由勾配側溝		FU-B400-C400-L2000	個	5	12,900	64,500		
生コンクリート		18-8-40BB W/C≤65%	m 3	0.7	23,700	16,590		
生コンクリート		18-8-25BB W/C≤60%	m 3	0.456	24,200	11,035		
再生クラッシャーラン		R C - 4 0	m 3	0.792	5,000	3,960		
諸雑費 (まるめ)			式	1		56		
計						162,900		
単価						16,290	円／m	

參考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

参考資料（1）

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一108号	蓋版	据付け 無し 蓋版(各種) 40を超える170kg/枚以下 無し 無し	単位	枚	数量	100	単価	27,080		
名称		規格	単位	数量	単価	金額	摘要			
蓋版コンクリート・鋼製		170kg以下 昼 無	枚	100	971.04	97,104				
側溝蓋		C-G-T-B400-L995(普通目・T-25)	枚	100	26,100	2,610,000				
諸雑費（まるめ）			式	1		896				
計						2,708,000				
単価						27,080	円/枚			

参考資料（1）

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一109号	蓋版	据付け 無し 蓋版(各種) 40を超える170kg/枚以下 無し 無し	単位	枚	数量	100	単価	34,980		
名称		規格	単位	数量	単価	金額	摘要			
蓋版コンクリート・鋼製		170kg以下 昼 無	枚	100	971.04	97,104				
蓋		MSGT-500-500(普通目・ボルト固定・T-25)	枚	100	34,000	3,400,000				
諸雑費（まるめ）			式	1		896				
計						3,498,000				
単価						34,980	円/枚			

参考資料（1）

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一110号	蓋版	据付け 無し 蓋版(各種) 40を超える170kg/枚以下 無し 無し	単位	枚	数量	100	単価	44,480		
名称		規格	単位	数量	単価	金額	摘要			
蓋版コンクリート・鋼製		170kg以下 昼 無	枚	100	971.04	97,104				
蓋		MSGT-600-600(普通目・ボルト固定・T-25)	枚	100	43,500	4,350,000				
諸雑費（まるめ）			式	1		896				
計						4,448,000				
単価						44,480	円/枚			

参考資料（1）

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一111号	蓋版	据付け 無し 蓋版(各種) 40を超える170kg/枚以下 無し 無し	単位	枚	数量	100	単価	52,680		
名称		規格	単位	数量	単価	金額	摘要			
蓋版コンクリート・鋼製		170kg以下 昼 無	枚	100	971.04	97,104				
蓋		S-B700-L700-t12	枚	100	51,700	5,170,000				
諸雑費（まるめ）			式	1		896				
計						5,268,000				
単価						52,680	円/枚			

参考資料（1）

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一112号	蓋版	据付け 無し 蓋版(各種) 40を超える170kg/枚以下 無し 無し	単位	枚	数量	100	単価	54,780		
名称		規格	単位	数量	単価	金額	摘要			
蓋版コンクリート・鋼製		170kg以下 昼 無	枚	100	971.04	97,104				
蓋		MSGT-700-700(普通目・ボルト固定・T-25)	枚	100	53,800	5,380,000				
諸雑費（まるめ）			式	1		896				
計						5,478,000				
単価						54,780	円/枚			

參考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

参考資料 (1)

単価使用年月 歩掛使用年月 労務調整係数	2025.07 2025.07 1.000-00-00-2-0
単価	6,406
数量	1
単価	m
名称	規格
仮設防護柵設置 昼間	連続ブロック 1000kg/基以下 時間制約無
諸雑費 (まるめ)	
計	
単価	円／m
6,406	

単価使用年月 歩掛使用年月 労務調整係数	2025.07 2025.07 1.000-00-00-2-0
単価	1,428
数量	1
単価	m
名称	規格
ガードレール撤去工 土中建込用	土中建込・標準型 Gr-C-4E 無 無
諸雑費 (まるめ)	
計	
単価	円／m
1,428	
1,428	
0	
1,428	

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一116号	構造物とりこわし	無筋構造物 機械施工 無し 無し 不要	単位	m 3	数量	1	単価	9,055
名称		規格	単位	数量	単価	金額	摘要	
無筋構造物		昼間 機械施工 制約無	m 3	1	9,055.66	9,055		
諸雑費 (まるめ)			式	1		0		
計						9,055		
単価						9,055	円／m 3	

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一117号	構造物とりこわし	鉄筋構造物 機械施工 無し 無し 不要	単位	m 3	数量	1	単価	18,180
名称		規格	単位	数量	単価	金額	摘要	
鉄筋構造物		昼間 機械施工 制約無	m 3	1	18,180	18,180		
諸雑費 (まるめ)			式	1		0		
計						18,180		
単価						18,180	円／m 3	

参考資料（1）

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一-118号	処分費（t）		単位	t	数量	100	単価	1,700
名称		規格	単位		数量	単価	金額	摘要
処分費		コンクリート殻(無筋)	t	100	1,700	170,000		
計						170,000		
単価						1,700	円／t	

単一-119号	処分費（t）		単位	t	数量	100	単価	2,000
名称		規格	単位		数量	単価	金額	摘要
処分費		コンクリート殻(鉄筋)	t	100	2,000	200,000		
計						200,000		
単価						2,000	円／t	

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一-120号	処分費 (t)		単位	t	数量	100	単価	3,000
名称		規格	単位		数量	単価	金額	摘要
処分費		コンクリート殻(二次製品)	t	100	3,000	300,000		
計						300,000		
単価						3,000	円／t	

単一-121号	処分費 (t)		単位	t	数量	100	単価	1,500
名称		規格	単位		数量	単価	金額	摘要
処分費		アスファルト殻	t	100	1,500	150,000		
計						150,000		
単価						1,500	円／t	

参考資料（1）

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一122号	交通誘導警備員 B		単位	人日	数量	1	単価	17,240
	名称	規格	単位	数量	単価	金額	摘要	
交通誘導警備員 B			人	1	17,238	17,238		
諸雑費（まるめ）			式	1		2		
計						17,240		
単価						17,240	円／人日	

参考資料 (1)

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一123号	重建設機械分解組立輸送	分解組立+輸送(往復) 中層混合処理機 機械質量20t以上60t以下 標準(1.0)	単位	回	数量	1	単価	2,183,000
名称		規格	単位	数量	単価	金額	摘要	
特殊作業員			人	16	30,600	489,600		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t 吊	日	2.4	45,200	108,480		
運搬費等率 265%			式	1		1,584,912		
諸雑費 (まるめ)			式	1		8		
計						2,183,000		
単価						2,183,000	円/回	

参考資料（1）

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一124号	道路施設基本データ作成費用	技術員=1.75人/日	単位	式	数量	1	単価	63,175		
名称		規格	単位	数量	単価	金額	摘要			
技術員			人	1.75	36,100	63,175	WYB00012			
計						63,175				
単価						63,175	円/式			

参考資料（2）

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一125号	中層混合処理機運転 5m < L ≤ 8m	単位 日	数量 1	単価 529,200
	名称	規格	単位 数量	単価 金額 摘要
運転手（特殊）		人	1 28,458	28,458
軽油		L	183 141	25,803
中層混合処理機〔ベースマシン〕	30t (1.4m3) 級バックホウ	供用日	1.68 46,500	78,120
中層混合処理機（トレンチャ式）〔攪拌混合装置〕	改良深度（標準）8m 適合ベースマシン30t級	供用日	1.68 209,000	351,120
施工管理装置	1ピースブーム用	供用日	1.68 27,200	45,696
諸雑費（まるめ）		式	1 3	
計				529,200
単価				529,200 円／日

参考資料（2）

単価使用年月	2025.07
歩掛使用年月	2025.07
労務調整係数	1.000-00-00-2-0

単一-126号	スラリプラント運転		単位	日	数量	1	単価	87,700		
名称		規格	単位	数量	単価	金額	摘要			
深層混合処理機 [スラリプラント (全自動)]		能力 20 m ³ / h	供用日	1.68	52,200	87,696				
諸雑費 (まるめ)			式	1		4				
計						87,700				
単価						87,700	円／日			