

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一71号	安定処理工（自走式土質改良工）	砂及び砂質土 30kg/m ³	単位	m ³	数量	100	単価	2,229
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.316	33,500	10,586		
特殊作業員			人	0.316	31,212	9,862		
固化材(石灰系特殊品)		高含水粘性土・有機質土用 フレコン	t	3.12	25,900	80,808		
自走式土質改良機運転			日	0.316	293,300	92,682	WK210320	単一 101号
バックホウ（クローラ型）運転			日	0.316	62,340	19,699	WK210330	単一 102号
諸雑費（率+まるめ） 7%			式	1		9,263		
計						222,900		
単価						2,229	円／m ³	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一72号	自走式土質改良機設置・撤去工	設置・撤去	単位	台・回	数量	1	単価	255,500
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.66	33,500	22,110		
特殊作業員			人	0.66	31,212	20,599		
運転手（特殊）			人	0.66	29,027	19,157		
自走式土質改良機運転			日	0.66	293,300	193,578	WK210320	単一 101号
諸雑費（まるめ）			式	1		56		
計						255,500		
単価						255,500	円／台・回	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一73号	鋼矢板材料（6－20m以外は適用外）	SYW295 25H型 7m/枚(地域キャストラ含む)	単位	枚	数量	1	単価	164,600		
名称		規格	単位	数量	単価	金額	摘要			
鋼矢板材料（6－20m以外は適用外）		SYW295 25H型 7m/枚	枚	1	158,200	158,200	WB250160			
地域キャストラ		北陸A 25H型 7.0m/枚	枚	1	6,328	6,328	WYB00012			
諸雑費（まるめ）			式	1		72				
計						164,600				
単価						164,600	円／枚			

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一74号	バイプロハンマ施工による鋼矢板打込み	陸上 電動式 60kW 無し 25H型 9m以下	単位	枚	数量	10	単価	15,250
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.4	33,500	13,400		
とび工			人	0.8	33,084	26,467		
普通作業員			人	0.4	26,322	10,528		
バイプロハンマ杭打機運転（陸上施工）		打込み 電動式60kW 25H型	日	0.4	202,800	81,120	WK250010	単一 105号
諸雑費（率+まるめ） 16%			式	1		20,985		
計						152,500		
単価						15,250	円／枚	

參考資料（1）

単価使用年月	2025. 09
歩掛使用年月	2025. 09
労務調整係数	1. 020-00-00-2-0

參考資料 (1)

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一77号	現場溶接	t=13.2mm	単位	m	数量	1	単価	4,888		
名称										
鋼管杭杭頭処理溶接工		14mm・16mm	単位	数量	単価	金額	摘要			
計			m	1	4,888	4,888	单一 108号			
単価						4,888	円／m			

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一78号	かごマット工（多段積型）	B型 亜鉛アルミメッキ鉄線 1:0.5以下 2段 2段 割栗石 15~20cm 標準 (90m3) 660m2/100m2	単位	m 2	数量	100	単価	35,940
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	2.2	33,500	73,700		
特殊作業員			人	3.2	31,212	99,878		
普通作業員			人	6.6	26,322	173,725		
かごマット多段積型		B-a型 亜鉛アルミメッキ鉄線 1:0.5	m	50	9,150	457,500		
かごマット多段積型		B-b型 亜鉛アルミメッキ鉄線 1:0.5	m	50	7,360	368,000		
かごマット多段積型		B-c型 亜鉛アルミメッキ鉄線	m	100	9,150	915,000		
割栗石		150~200mm	m 3	99	5,300	524,700		
吸出し防止材		河川護岸用 10mm以上	m 2	765.6	765	585,684		
バックホウ（クローラ型）運転			日	7.7	50,560	389,312	WK320190	単一 109号
諸雑費（率+まるめ） 1%			式	1		6,501		
計						3,594,000		

參考資料 (1)

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一79号	人力施工による植生工	張芝工 500m2以上(標準) 無	単位	m 2	数量	1	単価	1,878		
名称		規格	単位	数量	単価	金額	摘要			
法面工（張芝工）		野芝・高麗芝（全面張）	m 2	1	1,878.6	1,878				
諸雑費（まるめ）			式	1		0				
計						1,878				
単価						1,878	円／m 2			

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一80号	野芝種子吹付		単位	m ²	数量	1,000	単価	233.9
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.7	33,500	23,450		
法面工			人	1.5	36,726	55,089		
普通作業員			人	1.5	26,322	39,483		
速効性肥料		高度化成 15-15-15	k g	60	189.7	11,382		
被覆肥料		360日タイプ	k g	60	461	27,660		
養生材		ファイバー	k g	120	200	24,000		
種子吹付機〔車載式（種子専用）〕		2.5m ³ 搭載トラック3t車	時間	5	2,302	11,510	単一 110号	
トラック〔普通型〕		4~4.5t積	時間	5	8,048	40,240	単一 111号	
諸雑費（率+まるめ） 1%			式	1		1,086		
計						233,900		
単価						233.9	円/m ²	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-81号	被覆シート	材料ロス+0.25	単位	m 2	数量	1	単価	52
名称		規格	単位	数量	単価	金額	摘要	
被覆シート		ポリエチレンフィルム 透明 全面有孔 厚さ0.02mm程度	m 2	1.25	42	52		
計						52		
単価						52	円／m 2	

単一-82号	構造物とりこわし	無筋構造物 機械施工 無し 無し 不要	単位	m 3	数量	1	単価	9,055
名称		規格	単位	数量	単価	金額	摘要	
無筋構造物		昼間 機械施工 制約無	m 3	1	9,055.66	9,055		
諸雑費（まるめ）			式	1		0		
計						9,055		
単価						9,055	円／m 3	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-83号	構造物とりこわし	鉄筋構造物 機械施工 無し 無し 不要	単位	m 3	数量	1	単価	18,180
名称		規格	単位	数量	単価	金額	摘要	
鉄筋構造物		昼間 機械施工 制約無	m 3	1	18,180	18,180		
諸雑費（まるめ）			式	1		0		
計						18,180		
単価						18,180	円／m 3	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一84号	ガス切断	鋼矢板(II, III, IV, V, VL, IIw, IIIw, IVw, 10H, 25H型)	単位	箇所	数量	1	単価	6,260
名称		規格	単位	数量	単価	金額	摘要	
溶接工			人	0.13	32,980	4,287		
普通作業員			人	0.04	26,322	1,052		
酸素		ポンベ	m 3	0.63	547	344		
アセチレン		ポンベ	k g	0.26	2,200	572		
諸雑費（率+まるめ） 0.1%			式	1		5		
計						6,260		
単価						6,260	円／箇所	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一85号	鋼矢板引抜き	パイプロハンマ油圧式242kW, 25H型 L=8.5m(引抜長L≤8.0m)	単位	枚	数量	10	単価	8,294
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.189	33,500	6,331		
とび工			人	0.377	33,084	12,472		
普通作業員			人	0.189	26,322	4,974		
パイプロハンマ杭打機運転(油圧式・可変超高周波型)		排ガス(3次)最大起振力473kN振動周波数20~60Hz	日	0.189	312,200	59,005	WYB00010	単一 112号
諸雑費(率+まるめ) 0.2%			式	1		158		
計						82,940		
単価						8,294	円／枚	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-86号	鋼矢板引抜き	パイプロハンマ油圧式242kW, 25H型 L=9.0m(引抜長L≤8.5m)	単位	枚	数量	10	単価	8,294
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.189	33,500	6,331		
とび工			人	0.377	33,084	12,472		
普通作業員			人	0.189	26,322	4,974		
パイプロハンマ杭打機運転(油圧式・可変超高周波型)		排ガス(3次)最大起振力473kN振動周波数20~60Hz	日	0.189	312,200	59,005	WYB00014	単一 112号
諸雑費(率+まるめ) 0.2%			式	1		158		
計						82,940		
単価						8,294	円／枚	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一87号	鋼矢板引抜き	パイプロハンマ油圧式242kW, 25H型 L=9.5m(引抜長L≤9.0m)	単位	枚	数量	10	単価	8,294
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.189	33,500	6,331		
とび工			人	0.377	33,084	12,472		
普通作業員			人	0.189	26,322	4,974		
パイプロハンマ杭打機運転(油圧式・可変超高周波型)		排ガス(3次)最大起振力473kN振動周波数20~60Hz	日	0.189	312,200	59,005	WYB00018	単一 112号
諸雑費(率+まるめ) 0.2%			式	1		158		
計						82,940		
単価						8,294	円／枚	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-88号	かご撤去	多段積型 t=50cm	単位	m 2	数量	100	単価	3,801
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	2.78	33,500	93,130		
普通作業員			人	5.56	26,322	146,350		
パックホウ(クローラ型)運転		山積0.8m ³ (~排2014・超低含)	日	2.78	50,560	140,556	WYB00005	単一 113号
諸雑費（まるめ）			式	1		64		
計						380,100		
単価						3,801	円／m 2	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

单一-89号	処分費（t）		単位	t	数量	100	単価	1,500
名称		規格	単位		数量	単価	金額	摘要
処分費		アスファルト殻（掘削）※太陽工業(株)	t		100	1,500	150,000	
計							150,000	
単価							1,500	円／t

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

单一-90号	処分費（t）		単位	t	数量	100	単価	1,000
名称		規格	単位		数量	単価	金額	摘要
処分費		コンクリート殻（無筋）※(株)中部資源再開発小松工場	t		100	1,000	100,000	
計							100,000	
単価							1,000	円／t

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-91号	処分費 (t)		単位	t	数量	100	単価	1,500
名称		規格	単位		数量	単価	金額	摘要
処分費		コンクリート殻（鉄筋）※(株)中部資源再開発小松工場	t		100	1,500	150,000	
計						150,000		
単価						1,500	円／t	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-92号	大型土のう工	撤去 6mを超える20m以下 標準(1.0)	単位	袋	数量	10	単価	1,073
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.094	33,500	3,149		
特殊作業員			人	0.094	31,212	2,933		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t吊	日	0.094	49,200	4,624		
諸雑費 (率+まるめ) 0.4%			式	1		24		
計						10,730		
単価						1,073	円／袋	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一93号	敷鉄板設置・撤去	撤去	単位	m 2	数量	100	単価	217.4
名称		規格	単位	数量	単価	金額	摘要	
土木一般世話役			人	0.143	33,500	4,790		
とび工			人	0.143	33,084	4,731		
普通作業員			人	0.143	26,322	3,764		
バックホウ（クローラ型）運転			日	0.143	57,680	8,248	WK250590	単一 114号
諸雑費（率+まるめ） 1%			式	1		207		
計						21,740		
単価						217.4	円／m 2	

參考資料 (1)

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一95号	重建設機械分解組立輸送	分解組立+輸送(往復) クローラクレーン系 35t吊超80t吊以下(クラム平積0.6m3超2m3下) 標準(1.0)	単位	回	数量	1	単価	1,311,000
名称		規格	単位	数量	単価	金額	摘要	
特殊作業員			人	5.5	31,212	171,666		
ラフテレーンクレーン [油圧伸縮ジブ型]		25t吊	日	1.5	49,200	73,800		
運搬費等率 434%			式	1		1,065,322		
諸雑費 (まるめ)			式	1		212		
計						1,311,000		
単価						1,311,000	円／回	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-96号	仮設材等の運搬	(復路)発注; 北陸, L≤10km, 12m以内, 冬期割増	単位	t	数量	1	単価	4,092
名称		規格	単位	数量	単価	金額	摘要	
仮設材等(鋼矢板、H形鋼、覆工板、敷鉄板等)の運搬		北海道・東北・北陸・中国・四国・九州 7.7km 12m以内 冬期割増 無	t	1	4,092	4,092	WB010020 単一 115号	
計						4,092		
単価						4,092	円／t	

単一-97号	仮設材等の積込み、取卸し費	取卸しのみ	単位	t	数量	1	単価	750
名称		規格	単位	数量	単価	金額	摘要	
取卸し費（仮設材等）			t	1	750	750		
諸雑費（まるめ）			式	1		0		
計						750		
単価						750	円／t	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-98号	システム初期費（ＩＣＴ）	バックホウ	単位	式	数量	1	単価	598,000
名称		規格	単位	数量	単価	金額	摘要	
システム初期費		バックホウ	式	1		598,000		
計						598,000		
単価						598,000	円／式	

単一-99号	システム初期費（ＩＣＴ）	ブルドーザ	単位	式	数量	1	単価	548,000
名称		規格	単位	数量	単価	金額	摘要	
システム初期費		ブルドーザ	式	1		548,000		
計						548,000		
単価						548,000	円／式	

参考資料（1）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一100号	河川工事台帳作成費	技術員1人/式	単位	式	数量	1	単価	36,820		
名称		規格	単位	数量	単価	金額	摘要			
技術員			人	1	36,820	36,820	WYB00007 単一 116号			
計						36,820				
単価						36,820	円／式			

参考資料（2）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一101号	自走式土質改良機運転		単位	日	数量	1	単価	293,300		
名称		規格	単位	数量	単価	金額	摘要			
軽油			L	122	141	17,202				
自走式土質改良機〔解碎・固化材混合式〕		機械質量20t級	供用日	1.84	150,000	276,000				
諸雑費（まるめ）			式	1		98				
計						293,300				
単価						293,300	円／日			

参考資料（2）

単価使用年月 歩掛け使用年月 労務調整係数	2025.09 2025.09 1.020-00-00-2-0
単価	62,340

単一102号	バックホウ（クローラ型）運転	単位	日	数量	1	単価	62,340
	名称	規格	単位	数量	単価	金額	摘要
運転手（特殊）		人	1	29,027	29,027		
軽油		L	106	141	14,946		
バックホウ（クローラ）【標準】	山積0.8m ³ （平積0.6m ³ ）	日	1.8	10,200	18,360		
諸雑費（まるめ）		式	1		7		
計					62,340		
単価					62,340	円／日	

参考資料（2）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-103号	鋼矢板材料（6 - 20m以外は適用外）	SYW295 25H型 7m/枚	単位	枚	数量	1	単価	158,200
名称		規格	単位	数量	単価	金額	摘要	
鋼矢板		S Y W 2 9 5 ハット型 (10H, 25H, 45H)	t	0.791	200,000	158,200		
諸雑費（まるめ）			式	1		0		
計						158,200		
単価						158,200	円／枚	

単一-104号	地域エキストラ	北陸A 25H型 7.0m/枚	単位	枚	数量	1	単価	6,328
名称		規格	単位	数量	単価	金額	摘要	
地域エキストラ		北陸A, 鋼矢板	t	0.791	8,000	6,328		
計						6,328		
単価						6,328	円／枚	

参考資料（2）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一105号	バイプロハンマ杭打機運転（陸上施工）	打込み 電動式60kW 25H型	単位	日	数量	1	単価	202,800
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	29,027	29,027		
軽油			L	76	141	10,716		
バイプロハンマ（単体）【電動・可変モーメント型】		ハット形鋼矢板用 0～475kN 60kW	供用日	1.31	56,000	73,360		
クローラクレーン【油圧駆動ワインチ・ラチスジブ】		排出ガス対策型（2014年規制）50～55t吊	供用日	1.31	68,400	89,604		
諸雑費（まるめ）			式	1		93		
計						202,800		
単価						202,800	円／日	

参考資料（2）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-106号	鋼矢板材料（6 - 20m以外は適用外）	SYW295 25H型 7.5m/枚	単位	枚	数量	1	単価	169,600
名称		規格	単位	数量	単価	金額	摘要	
鋼矢板		S Y W 2 9 5 ハット型 (10H, 25H, 45H)	t	0.848	200,000	169,600		
諸雑費（まるめ）			式	1		0		
計						169,600		
単価						169,600	円／枚	

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一-107号	地域エキストラ	北陸A 25H型 7.5m/枚	単位	枚	数量	1	単価	6,784
名称		規格	単位	数量	単価	金額	摘要	
地域エキストラ		北陸A, 鋼矢板	t	0.848	8,000	6,784		
計						6,784		
単価						6,784	円／枚	

参考資料（2）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一108号	鋼管杭杭頭処理溶接工	14mm・16mm	単位 m	数量 10	単価 4,888	
	名称	規格	単位	数量	単価	金額
溶接工			人	1.11	32,980	36,607
電気溶接機運転			日	1.12	6,384	7,150
諸雑費（率+まるめ） 14%			式	1	5,123	WK230030 単一 117号
計					48,880	
単価					4,888	円／m

参考資料（2）

単価使用年月 歩掛け使用年月 労務調整係数	2025.09 2025.09 1.020-00-00-2-0
単価	50,560

単一109号	バックホウ（クローラ型）運転	単位	日	数量	1	単価	50,560
	名称	規格	単位	数量	単価	金額	摘要
運転手（特殊）		人	1	29,027	29,027		
軽油		L	63	141	8,883		
バックホウ（クローラ）【標準】	山積0.8m ³ （平積0.6m ³ ）	日	1.24	10,200	12,648		
諸雑費（まるめ）		式	1		2		
計					50,560		
単価					50,560	円／日	

參考資料 (2)

単価使用年月	2025. 09
歩掛使用年月	2025. 09
労務調整係数	1. 020-00-00-2-0

参考資料（2）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一111号	トラック〔普通型〕	4～4.5t積	単位	時間	数量	1	単価	8,048
	名称	規格	単位	数量	単価	金額	摘要	
運転手（一般）			人	0.21	26,634	5,593		
軽油			L	5.5	141	775		
トラック〔普通型〕	4～4.5t積		時間	1	1,680	1,680		
諸雑費（まるめ）			式	1		0		
計						8,048		
単価						8,048	円／時間	

参考資料（2）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一112号	バイプロハンマ杭打機運転(油圧式・可変超高周波型)	排ガス(3次)最大起振力473kN振動周波数20~60Hz	単位	日	数量	1	単価	312,200
名称		規格	単位	数量	単価	金額	摘要	
運転手（特殊）			人	1	29,027	29,027		
軽油			L	484	141	68,244		
バイプロハンマ(単体)[油圧式・可変超高周波型]		排出ガス対策型(第3次基準値)振り子式473kN	供用日	1.21	140,000	169,400		
ラフテレンクレーン[油圧伸縮シブ型]		排出ガス対策型(第3次基準値)25t吊	供用日	1.21	37,600	45,496		
諸雑費（まるめ）			式	1		33		
計						312,200		
単価						312,200	円／日	

參考資料 (2)

参考資料（2）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一114号	バックホウ（クローラ型）運転	単位	日	数量	1	単価	57,680
	名称	規格	単位	数量	単価	金額	摘要
運転手（特殊）		人	1	29,027	29,027		
軽油		L	119	141	16,779		
バックホウ（クローラ）【標準・クレーン機能付き】	山積0.8m3（平積0.6m3）2.9t吊	日	1.06	11,200	11,872		
諸雑費（まるめ）		式	1		2		
計					57,680		
単価					57,680	円／日	

参考資料（2）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一115号	仮設材等(鋼矢板、H形鋼、覆工板 、敷鉄板等)の運	北海道・東北・北陸・中国・四国・九州 7.7km 12m以内 冬期割増 無	単位	t	数量	1	単価	4,092
名称		規格	単位	数量	単価	金額	摘要	
基本運賃区分B		製品長12m以内 10kmまで	t	1	4,092	4,092		
諸雑費（まるめ）			式	1		0		
計						4,092		
単価						4,092	円／t	

単一116号	技術員		単位	人	数量	1	単価	36,820
名称		規格	単位	数量	単価	金額	摘要	
技術員			人	1.02	36,100	36,822		
計						36,822		
単価						36,820	円／人	

参考資料（3）

単価使用年月	2025.09
歩掛使用年月	2025.09
労務調整係数	1.020-00-00-2-0

単一117号	電気溶接機運転		単位	日	数量	1	単価	6,384		
名称		規格	単位	数量	単価	金額	摘要			
軽油			L	24	141	3,384				
電気溶接機〔ディーゼルエンジン駆動・直流アーク〕		排出ガス対策型（第3次） 最大溶接電流300A	日	1	3,000	3,000				
諸雑費（まるめ）			式	1		0				
計						6,384				
単価						6,384	円／日			